

#### (12) United States Design Patent **US D605,964 S** (10) Patent No.: **\*\* Dec. 15, 2009** (45) **Date of Patent:** Ikehata

#### **BASE FOR A FIRE DETECTOR** (54)

- Inventor: Toshiyuki Ikehata, Tokyo (JP) (75)
- Assignee: Nohmi Bosai Ltd., Tokyo (JP) (73)
- (\*\*)14 Years Term:
- Appl. No.: 29/334,425 (21)

6,433,700 B1*	8/2002	Malewski et al 340/693.11
D596,974 S *	7/2009	Watson D10/104
2007/0230142 A1*	10/2007	Engel et al 361/748
2009/0085727 A1*	4/2009	Yamano 340/384.4

\* cited by examiner

(57)

Primary Examiner—Caron Veynar Assistant Examiner—George D Kirschbaum (74) Attorney, Agent, or Firm—Van Dyke, Gardner, Linn & Burkhart, LLP

#### (22) Filed: Mar. 26, 2009

(30)**Foreign Application Priority Data** 

Sep. 30, 2008	(JP)	
Sep. 30, 2008	(JP)	

- LOC (9) Cl. ..... 10-05 (51)(52)Field of Classification Search ...... D10/104, (58)D10/106; 340/521, 540, 541, 542, 543, 544, 340/545, 555, 556, 558, 571, 572, 573; 392/423; 134/21; 362/276; 428/192; 178/99.1 See application file for complete search history.
- (56)**References** Cited

#### U.S. PATENT DOCUMENTS

4/1995 Koganemaru et al. 5,403,198 A 5,751,218 A \* 5/1998 Winterble et al. ...... 340/693.6

#### CLAIM

The ornamental design for the base for a fire detector, substantially as shown and described.

#### DESCRIPTION

FIG. 1 is a perspective view of the base for a fire detector of an embodiment of the present invention having holes for sound; FIG. 2 is a front elevation view of the base of FIG. 1; FIG. 3 is a rear elevation view of the base of FIG. 1; FIG. 4 is a right-side elevation view of the base of FIG. 1; FIG. 5 is a left-side elevation view of the base of FIG. 1; FIG. 6 is a top plan view of the base of FIG. 1; and, FIG. 7 is bottom plan view of the base of FIG. 1.

#### 1 Claim, 7 Drawing Sheets







## U.S. Patent Dec. 15, 2009 Sheet 1 of 7 US D605,964 S





### U.S. Patent Dec. 15, 2009 Sheet 2 of 7 US D605,964 S



## U.S. Patent Dec. 15, 2009 Sheet 3 of 7 US D605,964 S



### U.S. Patent Dec. 15, 2009 Sheet 4 of 7 US D605,964 S







## U.S. Patent Dec. 15, 2009 Sheet 5 of 7 US D605,964 S





## U.S. Patent Dec. 15, 2009 Sheet 6 of 7 US D605,964 S



## U.S. Patent Dec. 15, 2009 Sheet 7 of 7 US D605,964 S

