



US00D606008S

(12) **United States Design Patent**  
**D'Abrigeon et al.**

(10) **Patent No.:** **US D606,008 S**

(45) **Date of Patent:** **\*\* Dec. 15, 2009**

(54) **PNEUMATIC TIRE**

(75) Inventors: **Nicolas D'Abrigeon**, Chamalieres (FR);  
**Sébastien Fugier**, St-Bonnett-Pres-Riom  
(FR); **Jean-François Salvan**,  
Clermont-Ferrand (FR)

(73) Assignee: **Michelin-Recherche et Technique S.A.**,  
Granges-Paccot (CH)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/337,063**

(22) Filed: **May 14, 2009**

(30) **Foreign Application Priority Data**

Nov. 14, 2008 (EM) ..... 001038871-0001

(51) **LOC (9) Cl.** ..... **12-15**

(52) **U.S. Cl.** ..... **D12/565**

(58) **Field of Classification Search** ..... D12/533,  
D12/551-567, 900-901; 152/209.1, 209.8-209.19,  
152/209.25-209.28

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D316,991 S *	5/1991	Graas .....	D12/565
D340,898 S *	11/1993	Kuroda .....	D12/565
D354,029 S *	1/1995	Voigt et al. ....	D12/564
D384,314 S *	9/1997	Heinen .....	D12/565
D395,856 S *	7/1998	Horie et al. ....	D12/565
D400,832 S *	11/1998	Dixon et al. ....	D12/566
D418,782 S *	1/2000	Williams .....	D12/565

D450,293 S *	11/2001	Williams .....	D12/565
D451,867 S *	12/2001	Clark et al. ....	D12/566
D464,611 S *	10/2002	Hutz et al. ....	D12/565
D513,729 S *	1/2006	Lash et al. ....	D12/565
D525,580 S *	7/2006	Weber et al. ....	D12/564
D557,196 S *	12/2007	Fugier et al. ....	D12/564
D575,726 S *	8/2008	Fontaine et al. ....	D12/564
D583,753 S *	12/2008	Licht et al. ....	D12/565
D595,640 S *	7/2009	de Briey-Terlinden .....	D12/564

\* cited by examiner

*Primary Examiner*—Stacia Cadmus

(74) *Attorney, Agent, or Firm*—Buchanan Ingersoll &  
Rooney PC

(57) **CLAIM**

The ornamental design for a pneumatic tire, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a pneumatic tire showing our new design, it being understood that the tread pattern repeats circumferentially throughout the outer circumference.

FIG. 2 is a front perspective view of one side of the pneumatic tire shown in FIG. 1.

FIG. 3 is a rear elevational view of the pneumatic tire shown in FIG. 1.

FIG. 4 is a side elevational view of one side of the pneumatic tire shown in FIG. 1, it being understood that the other side is of identical appearance; and,

FIG. 5 is an enlarged fragmentary view of FIG. 1.

**1 Claim, 5 Drawing Sheets**





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

