



US00D606051S

(12) **United States Design Patent**
Fleischer et al.

(10) **Patent No.:** **US D606,051 S**

(45) **Date of Patent:** **** *Dec. 15, 2009**

(54) **MICROPHONE**

(75) Inventors: **Dieter Fleischer**, Hannover (DE);
Raimund Staat, Burgwedel (DE); **Lars Heine**, Braunschweig (DE)

(73) Assignee: **Sennheiser Electronic GmbH & Co. KG**, Wedemark (DE)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/307,562**

(22) Filed: **Apr. 28, 2008**

(30) **Foreign Application Priority Data**

Nov. 2, 2007 (DE) 407 05 540

(51) **LOC (9) Cl.** **14-01**

(52) **U.S. Cl.** **D14/228**

(58) **Field of Classification Search** D14/225,
D14/226, 227, 228, 229, 142, 155, 172, 210,
D14/214, 299; D10/104; D13/158, 168,
D13/171, 174; 181/131, 141, 146, 151, 158,
181/153; 381/111, 122, 174, 186; 455/100,
455/112; 116/241; 379/420.02; D9/400,
D9/435, 454, 447, 448, 449; 401/52, 205;
222/345.3, 345.4; 215/253, 224, 320; D19/53,
D19/57, 58, 99

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,524,202 A * 1/1925 Nottingham 401/52
1,758,777 A * 5/1930 Barton 381/174
2,406,391 A * 8/1946 Mason 181/158
D161,051 S * 11/1950 Piccoli D28/85
2,710,345 A * 6/1955 Stephens 455/100

2,870,856 A * 1/1959 Olson et al. 181/242
2,910,539 A * 10/1959 Hartsfield 381/174
2,971,065 A * 2/1961 Busse 381/321
3,371,742 A * 3/1968 Norton et al. 181/153
3,462,035 A * 8/1969 Grussen 215/253
D218,102 S * 7/1970 Schwartz D13/168
D228,547 S * 10/1973 Grothoff D9/448
3,947,646 A * 3/1976 Saito 381/368
4,434,329 A * 2/1984 Nasu 381/354
D278,625 S * 4/1985 Mathiasen D14/228
4,867,265 A * 9/1989 Wright 181/131
D305,871 S * 2/1990 Geiger D9/435
5,133,428 A * 7/1992 Perrson 181/153

(Continued)

Primary Examiner—Paula Greene

(74) *Attorney, Agent, or Firm*—Reed Smith LLP

(57) **CLAIM**

The ornamental design for a microphone, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of the microphone in accordance with the invention.

FIG. 2 is a top view of the microphone in accordance with the invention.

FIG. 3 is a bottom view of the microphone in accordance with the invention. The broken lines in the figure form no part of the claimed design.


FIG. 4 is a front view of the microphone in accordance with the invention.

FIG. 5 is a left side view of the microphone in accordance with the invention.

FIG. 6 is a back side view of the microphone in accordance with the invention; and,

FIG. 7 is a right side view of the microphone in accordance with the invention.

1 Claim, 2 Drawing Sheets



US D606,051 S

Page 2

U.S. PATENT DOCUMENTS

5,226,076	A *	7/1993	Baumhauer et al.	379/420.02	D466,105	S *	11/2002	Bothe	D14/214
5,319,164	A *	6/1994	Shen	181/150	D481,709	S *	11/2003	Solderits	D14/228
5,358,132	A *	10/1994	Bennett	220/253	D505,327	S *	5/2005	Bakic	D9/449
5,524,609	A *	6/1996	Krull	126/500	D522,499	S *	6/2006	Marcichow et al.	D14/225
D386,764	S *	11/1997	Lake	D14/225	D538,482	S *	3/2007	Martinez	D28/89
D437,556	S *	2/2001	Holliday et al.	D9/436	7,260,230	B2 *	8/2007	Feng	381/174
D438,860	S *	3/2001	Darbut et al.	D14/226	D553,983	S *	10/2007	Bunce et al.	D9/454
D442,932	S *	5/2001	Koike	D14/155	7,286,680	B2 *	10/2007	Steeman et al.	381/369
D455,405	S *	4/2002	Bonn	D13/158	D561,024	S *	2/2008	Altonen et al.	D9/448
D459,261	S *	6/2002	DeCosse	D10/104	D576,038	S *	9/2008	Mazurkiewicz et al.	D9/449
					D581,787	S *	12/2008	Davis et al.	D9/447

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

