



US00D606098S

(12) **United States Design Patent**
Pelini

(10) **Patent No.:** **US D606,098 S**

(45) **Date of Patent:** **** *Dec. 15, 2009**

(54) **JACK PLATE BRACKET**

7,513,810 B1 * 4/2009 Pelini 440/61 R

(76) Inventor: **Mark F. Pelini**, 406 Sonoma Dr.,
Valrico, FL (US) 33594

* cited by examiner

Primary Examiner—Cathron C. Brooks

Assistant Examiner—Maurice Stevens

(74) *Attorney, Agent, or Firm*—Edward P. Dutkiewicz

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/312,656**

The ornamental design for a jack plate bracket, as shown and described.

(22) Filed: **Nov. 5, 2008**

DESCRIPTION

(51) **LOC (9) Cl.** **15-01**

FIG. 1 is a front elevational view of the jack plate showing my new design;

(52) **U.S. Cl.** **D15/4**

FIG. 2 is a rear elevational view thereof;

(58) **Field of Classification Search** D15/4,
D15/5; D12/317; D8/353; 440/59, 61, 63,
440/65; 248/641, 642; D13/177

FIG. 3 is a side left elevational view thereof, the right side view is a mirror image of the left side view;

See application file for complete search history.

FIG. 4 is a top plan view thereof; and

FIG. 5 is a bottom plan view thereof; and

FIG. 6 is a cross section of FIG. 3, showing the indentation, or recess, of the surface, as depicted in FIG. 3 with the broken lines.


The broken lines shown in the drawings represent unclaimed portions of the jack plate bracket and form no part thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,491,227	A *	4/1924	Fellabaum	384/2
6,890,227	B1 *	5/2005	Alby et al.	440/61 R
7,013,825	B1 *	3/2006	D'Alessandro	114/286
D561,708	S *	2/2008	Anzai	D13/177

1 Claim, 3 Drawing Sheets






FIG 1




FIG 2




FIG 3




FIG 4

FIG 5





FIG 6