



US00D606842S

(12) **United States Design Patent**  
**Stevens et al.**

(10) **Patent No.:** **US D606,842 S**

(45) **Date of Patent:** **\*\* Dec. 29, 2009**

(54) **LOCK**

(75) Inventors: **Scott B. Stevens**, Mukwonago, WI (US);  
**Christopher Hironimus**, Lindenhurst,  
IL (US)

(73) Assignee: **Master Lock Company LLC**, Oak  
Creek, WI (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/337,300**

(22) Filed: **May 19, 2009**

(51) **LOC (9) Cl.** ..... **08-07**

(52) **U.S. Cl.** ..... **D8/334; D8/331**

(58) **Field of Classification Search** ..... D8/330,  
D8/331, 334, 338, 336, 345, 339; 70/14,  
70/18, 20, 24, 25, 31, 35, 38 R, 38 A, 38 B,  
70/38 C, 51-56, 91, 141, DIG. 3, DIG. 4,  
70/DIG. 43, DIG. 56

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|           |     |         |                |         |
|-----------|-----|---------|----------------|---------|
| 1,016,455 | A   | 2/1912  | Stone          |         |
| 1,490,987 | A   | 4/1924  | Soref          |         |
| 3,453,758 | A * | 7/1969  | Foote et al.   | 40/665  |
| 3,626,729 | A * | 12/1971 | Fane et al.    | 70/18   |
| 3,835,767 | A * | 9/1974  | Peterson       | 100/345 |
| 3,983,725 | A   | 10/1976 | Manuel         |         |
| 4,224,813 | A   | 9/1980  | Hampton        |         |
| 4,226,100 | A   | 10/1980 | Hampton et al. |         |
| 4,317,344 | A   | 3/1982  | Barnard        |         |
| D395,224  | S   | 6/1998  | Turner         |         |
| 5,761,935 | A * | 6/1998  | Adelmeyer      | 70/55   |
| D400,078  | S   | 10/1998 | Adelmeyer      |         |
| D402,532  | S   | 12/1998 | Turner         |         |
| D406,044  | S   | 2/1999  | Turner         |         |
| D408,252  | S * | 4/1999  | Holland-Letz   | D8/83   |
| D408,262  | S   | 4/1999  | Liu            |         |

|           |      |         |                  |           |
|-----------|------|---------|------------------|-----------|
| D423,324  | S    | 4/2000  | Liu              |           |
| D442,059  | S    | 5/2001  | Turner           |           |
| 6,539,754 | B1 * | 4/2003  | Fang             | 70/52     |
| D484,391  | S    | 12/2003 | Hackbarth et al. |           |
| D537,320  | S *  | 2/2007  | Kearns et al.    | D8/334    |
| D537,703  | S    | 3/2007  | Kearns et al.    |           |
| 7,533,649 | B2 * | 5/2009  | Kemnitz et al.   | 123/193.6 |

**OTHER PUBLICATIONS**

Master Lock, No. 1 Padlocks Product Description, Master Lock web site.

Master Lock, No. 5 Padlocks Product Description, Master Lock web site.

Master Lock, No. 15 Padlocks Product Description, Master Lock web site.

\* cited by examiner

*Primary Examiner*—Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm*—Calfee, Halter & Griswold LLP

(57) **CLAIM**

We claim the ornamental design for a lock, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a lock showing the new design;

FIG. 2 is a top view of the lock of FIG. 1;

FIG. 3 is a front view of the lock of FIG. 1;

FIG. 4 is a rear view of the lock of FIG. 1;


FIG. 5 is a bottom view of the lock of FIG. 1;


FIG. 6 is a right side view of the lock of FIG. 1; and,

FIG. 7 is a left side view of the lock of FIG. 1.


The portions of the Figures shown in broken lines are for illustrative purpose only and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**







**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 4**



**FIG. 5**



**FIG. 6**



**FIG. 7**