

US00D606940S

(12) **United States Design Patent**  
**Mack**

(10) **Patent No.:** **US D606,940 S**

(45) **Date of Patent:** **\*\* Dec. 29, 2009**

(54) **BATTERY**

(75) Inventor: **Robert J. Mack**, Milwaukee, WI (US)

(73) Assignee: **Johnson Controls Technology Company**, Holland, MI (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/327,181**

(22) Filed: **Oct. 31, 2008**

(51) **LOC (9) Cl.** ..... **13-02**

(52) **U.S. Cl.** ..... **D13/119; D13/103**

(58) **Field of Classification Search** ..... D13/102–108,  
D13/110, 118–119, 184; 429/96–100, 163,  
429/176

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D197,519 S *	2/1964	Rohe	.....	D13/119
D239,837 S *	5/1976	Hennen	.....	D13/119
D252,354 S	7/1979	Uyeda		
4,346,151 A *	8/1982	Uba et al.	.....	429/54
4,510,215 A *	4/1985	Adam	.....	429/99
D298,029 S	10/1988	Foster		
D303,373 S	9/1989	Ching, Jr.		
D304,926 S	12/1989	Ching, Jr.		
D304,927 S	12/1989	Ching et al.		
D307,133 S	4/1990	Ching, Jr.		
D307,886 S	5/1990	Ching et al.		
D318,025 S *	7/1991	Moritaka	.....	D10/129
D327,051 S *	6/1992	Schwartz	.....	D13/118
5,283,137 A	2/1994	Ching		
5,415,956 A	5/1995	Ching		
D372,701 S	8/1996	Tahmassebpur		
5,599,641 A	2/1997	Ching et al.		
5,763,116 A *	6/1998	Lapinski et al.	.....	429/99
5,856,037 A	1/1999	Casale et al.		
5,871,862 A	2/1999	Olson		
D406,258 S	3/1999	Segers		
5,895,728 A *	4/1999	Walker et al.	.....	429/53
5,977,746 A *	11/1999	Hershberger et al.	.....	429/99
5,998,062 A	12/1999	Olson		

6,023,146 A	2/2000	Casale et al.		
6,025,086 A	2/2000	Ching		
6,174,618 B1 *	1/2001	Nishiyama et al.	.....	429/99
D450,653 S	11/2001	Hertel et al.		
6,399,238 B1 *	6/2002	Oweis et al.	.....	429/99
D466,478 S	12/2002	Bolstad et al.		
D491,138 S	6/2004	Minato		
D499,070 S *	11/2004	Lavington	.....	D13/119
D517,987 S	3/2006	Castagnola et al.		
D517,988 S	3/2006	Ihde et al.		

**OTHER PUBLICATIONS**

Photographs of “old” Optima battery with a date stamp of Week 47, 1990.

Optima Batteries brochure entitled “The Ultimate Power Source” dated Mar. 2007.

Optima Batteries New Product Announcement, 2008.

*Primary Examiner*—Rosemary K Tarcza

(74) *Attorney, Agent, or Firm*—Lathrop & Clark LLP

(57) **CLAIM**

The ornamental design for a battery, as shown and described.

**DESCRIPTION**

FIG. 1 is a top isometric view of the battery according to an exemplary embodiment;

FIG. 2 is a top plan view thereof;

FIG. 3 is a first side elevation view thereof;

FIG. 4 is a second side elevation view thereof;

FIG. 5 is a first end elevation view thereof;


FIG. 6 is a second end elevation view thereof; and,

FIG. 7 is a bottom plan view thereof.

The broken lines shown in FIGS. 1–7 are for illustrative purposes only, and form no part of the claimed design.

The dash-dot lines shown in the Figures are for the purpose of illustrating the boundaries of the claimed design and form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**



# US D606,940 S

Page 2

---

## U.S. PATENT DOCUMENTS

D528,502 S *	9/2006	Fleetwood .....	D13/103	D562,765 S *	2/2008	Tsuzuki et al. ....	D13/110
D531,117 S *	10/2006	Schrick et al. ....	D13/103	7,332,243 B2	2/2008	Cummins et al.	
7,287,648 B2 *	10/2007	Foreman et al. ....	D13/119	2003/0059676 A1 *	3/2003	Ruiz Rodriguez et al. ...	429/164
D559,778 S *	1/2008	Tsuzuki et al. ....	D13/110	2004/0170888 A1 *	9/2004	Cummins et al. ....	429/99
D562,229 S	2/2008	Peters		2004/0247996 A1 *	12/2004	Smith et al. ....	429/86
				2005/0069762 A1	3/2005	Daley et al.	

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7