

US00D606947S

(12) **United States Design Patent**
Caprio et al.

(10) **Patent No.:** **US D606,947 S**

(45) **Date of Patent:** **** Dec. 29, 2009**

(54) **NURSE CALL DEVICE**

(75) Inventors: **Arthur P. Caprio**, Orchard Park, NY (US); **Abhilash J. Prasad**, Sloan, NY (US); **Thomas A. Dunn**, Delevan, NY (US); **Kurt M. Maw**, Salem, MA (US); **Jan Schminke**, Marshfield, MA (US)

(73) Assignee: **Ourbell Electronics, Inc.**, Orchard Park, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/331,737**

(22) Filed: **Jan. 30, 2009**

(51) **LOC (9) Cl.** **14-03**

(52) **U.S. Cl.** **D13/168**

(58) **Field of Classification Search** D13/168;
D14/218; D24/133, 138; 340/825.22, 825.24,
340/825.25, 825.31, 825.36, 825.69, 825.72;
341/76; 455/352; 5/503.1; 600/181, 182
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D188,788 S *	9/1960	Lamb	D24/133
4,484,367 A *	11/1984	Jenkins	5/425
4,976,724 A *	12/1990	Nieto et al.	606/181
D462,440 S *	9/2002	Formanek	D24/133
D511,145 S *	11/2005	Donofrio et al.	D13/168
D512,967 S *	12/2005	Kosumsuppamala et al.	D13/ 168

* cited by examiner

Primary Examiner—Selina Sikder
(74) *Attorney, Agent, or Firm*—Hodgson Russ LLP

(57) **CLAIM**

The ornamental design for a nurse call device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view showing an embodiment of the claimed design including a strain relief device for a connection cord, wherein the connection cord is shown in dotted line and is not part of the claimed design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a right side view thereof.

FIG. 5 is a left side view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof;

FIG. 8 is a perspective view showing another embodiment of the claimed design without a strain relief device for a connection cord, wherein a hole in the bottom of the nurse call device is shown in dotted line and is not part of the claimed design;

FIG. 9 is a front view thereof;

FIG. 10 is a rear view thereof;


FIG. 11 is a right side view thereof.

FIG. 12 is a left side view thereof;

FIG. 13 is a top view thereof; and,

FIG. 14 is a bottom view thereof.

1 Claim, 2 Drawing Sheets






FIG. 1

FIG. 2





FIG. 6




FIG. 7




FIG. 4




FIG. 3




FIG. 5




FIG. 8

FIG. 9





FIG. 13




FIG. 14




FIG. 11




FIG. 10




FIG. 12

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 606,947 S
APPLICATION NO. : 29/331737
DATED : December 29, 2009
INVENTOR(S) : Arthur P. Caprio et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title page, item (73), the Assignee should read:

--Curbell Electronics, Inc., Orchard Park, NY (US)--

Signed and Sealed this

Sixth Day of April, 2010

A handwritten signature in black ink that reads "David J. Kappos". The signature is written in a cursive style with a large initial 'D' and a stylized 'K'.

David J. Kappos
Director of the United States Patent and Trademark Office