



US00D606982S

(12) **United States Design Patent**  
**Kaneko**

(10) **Patent No.:** **US D606,982 S**

(45) **Date of Patent:** **\*\* Dec. 29, 2009**

(54) **REMOTE CONTROLLER**

(75) Inventor: **Takuji Kaneko**, Daito (JP)

(73) Assignee: **Funai Electric Co., Ltd.**, Osaka (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/334,643**

(22) Filed: **Mar. 30, 2009**

(30) **Foreign Application Priority Data**

Feb. 18, 2009 (JP) ..... 2009-003181

(51) **LOC (9) Cl.** ..... **14-03**

(52) **U.S. Cl.** ..... **D14/218**

(58) **Field of Classification Search** ..... D14/218,  
D14/455; D13/168; D21/566; D10/104,  
D10/106; 345/169; 348/14.05, 114, 211.99,  
348/734; 340/825.24; 341/22; 455/92, 95,  
455/128, 151.1–151.4, 352, 355, FOR. 121;  
700/65

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|              |         |              |       |         |
|--------------|---------|--------------|-------|---------|
| D246,975 S * | 1/1978  | Hampf        | ..... | D14/191 |
| D301,037 S * | 5/1989  | Matsuda      | ..... | D14/218 |
| D310,219 S * | 8/1990  | Carlile      | ..... | D14/159 |
| D341,838 S * | 11/1993 | Kasch et al. | ..... | D14/218 |
| D354,751 S * | 1/1995  | Hersh et al. | ..... | D14/218 |
| D357,018 S * | 4/1995  | Takami       | ..... | D14/218 |
| D357,920 S * | 5/1995  | Davis        | ..... | D14/218 |
| D368,264 S * | 3/1996  | Laituri      | ..... | D14/218 |

|              |         |                   |       |            |
|--------------|---------|-------------------|-------|------------|
| D506,463 S * | 6/2005  | Daniels           | ..... | D14/218    |
| D515,072 S * | 2/2006  | Lee               | ..... | D14/218    |
| D521,986 S * | 5/2006  | Depay et al.      | ..... | D14/218    |
| D531,993 S * | 11/2006 | Choi et al.       | ..... | D14/218    |
| D534,900 S * | 1/2007  | Weitgasser et al. | ..... | D14/218    |
| D549,667 S * | 8/2007  | Huang             | ..... | D13/168    |
| D567,804 S * | 4/2008  | Yan               | ..... | D14/218    |
| D568,298 S * | 5/2008  | Lundgren et al.   | ..... | D14/218    |
| D568,299 S * | 5/2008  | Tuli              | ..... | D14/218    |
| D582,878 S * | 12/2008 | Kimura            | ..... | D14/138 AD |
| D594,852 S * | 6/2009  | Klein et al.      | ..... | D14/218    |

\* cited by examiner

*Primary Examiner*—T. Chase Nelson

*Assistant Examiner*—John Windmuller

(74) *Attorney, Agent, or Firm*—Sughrue Mion, PLLC

(57) **CLAIM**

The ornamental design for a remote controller, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of the remote controller according to the present invention;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;


FIG. 4 is a left side view thereof;


FIG. 5 is a right side view thereof;

FIG. 6 is an end view thereof; and,


FIG. 7 is an end view thereof opposite to the end view in FIG. 6.

**1 Claim, 4 Drawing Sheets**







**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 4**



**FIG. 5**



**FIG. 6**



**FIG. 7**