

(12) United States Design Patent (10) Patent No.: US D607,090 S Johnson (45) Date of Patent: ** Dec. 29, 2009

(54) **SLIDER VALVE FITMENT PROBE**

- (75) Inventor: James Johnson, Delaware, OH (US)
- (73) Assignee: Liqui-Box Corporation, Worthington, OH (US)
- (**) Term: 14 Years
- (21) Appl. No.: **29/329,925**

6,953,070 B1	10/2005	Labinski et al.
D511,203 S *	11/2005	Bressler et al D23/262
7,487,951 B2*	2/2009	Johnson 251/149.1
2002/0139423 A1*	10/2002	Roethel 137/614.03
2004/0256424 A1*	12/2004	Johnson 222/518
2008/0053568 A1*	3/2008	Johnson 141/383

FOREIGN PATENT DOCUMENTS

CA	2371239	12/2000
CA	2554832	8/2005
WO	W00004/005002	7/2004

(22) Filed: Dec. 23, 2008

Related U.S. Application Data

- (63) Continuation of application No. 11/895,843, filed on Aug. 28, 2007.
- (52) U.S. Cl. D23/262
- (58) Field of Classification Search D23/259–268; 137/614.03; 141/346–351, 383–385; 251/149.6, 251/149.1

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,445,551 A $5/1984$ Bond et al. $5,031,662$ A $7/1991$ Roethel $5,095,962$ A $3/1992$ Lloyd-Davies et al. $5,680,970$ A $10/1997$ Smith et al. $5,697,410$ A $12/1997$ Rutter et al. $5,697,410$ A $12/1997$ Rutter et al. $5,901,761$ A $5/1999$ Rutter et al. $5,983,964$ A $11/1999$ Zielinksi et al. $D421,098$ S* $2/2000$ Wrigley et al. $6,347,785$ B1 $2/2002$ Copp et al. $6,648,016$ B2 * $11/2003$ Farrenkopf et al. $6,779,556$ B2 $8/2004$ Roethel $D501,673$ S* $2/2005$ $Bressler et al.$ $D23/262$ $D508,111$ S* $8/2005$ Karasawa $D23/262$	4,421,146 A	12/1983	Bond et al.
5,095,962A3/1992Lloyd-Davies et al.5,680,970A10/1997Smith et al.5,697,410A12/1997Rutter et al.5,901,761A5/1999Rutter et al.5,983,964A11/1999Zielinksi et al.D421,098S*2/20006,347,785B12/2002Copp et al.6,648,016B2 *11/2003Farrenkopf et al.137/5886,779,556B28/2004RoethelD501,673S*2/2005Bressler et al.D23/262	4,445,551 A	5/1984	Bond et al.
5,680,970 A10/1997Smith et al.5,697,410 A12/1997Rutter et al.5,901,761 A5/1999Rutter et al.5,983,964 A11/1999Zielinksi et al.D421,098 S *2/2000Wrigley et al.6,347,785 B12/2002Copp et al.6,648,016 B2 *11/2003Farrenkopf et al.6,779,556 B28/2004RoethelD501,673 S *2/2005Bressler et al.D23/262	5,031,662 A	7/1991	Roethel
5,697,410A12/1997Rutter et al.5,901,761A5/1999Rutter et al.5,983,964A11/1999Zielinksi et al.D421,098S*2/2000Wrigley et al.6,347,785B12/2002Copp et al.6,648,016B2 *11/2003Farrenkopf et al.137/5886,779,556B28/2004RoethelD501,673S*2/2005Bressler et al.D23/262	5,095,962 A	3/1992	Lloyd-Davies et al.
5,901,761 A5/1999Rutter et al.5,983,964 A11/1999Zielinksi et al.D421,098 S2/2000Wrigley et al.D23/2796,347,785 B12/2002Copp et al.6,648,016 B2*11/2003Farrenkopf et al.137/5886,779,556 B28/2004RoethelD501,673 S2/2005Bressler et al.D23/262	5,680,970 A	10/1997	Smith et al.
5,983,964 A11/1999Zielinksi et al.D421,098 S*2/2000Wrigley et al.D23/2796,347,785 B12/2002Copp et al.6,648,016 B2 *11/2003Farrenkopf et al.137/5886,779,556 B28/2004RoethelD501,673 S*2/2005Bressler et al.D23/262	5,697,410 A	12/1997	Rutter et al.
D421,098S*2/2000Wrigley et al.D23/2796,347,785B12/2002Copp et al.6,648,016B2 *11/2003Farrenkopf et al.137/5886,779,556B28/2004RoethelD501,673S*2/2005Bressler et al.D23/262	5,901,761 A	5/1999	Rutter et al.
6,347,785B12/2002Copp et al.6,648,016B2 *11/2003Farrenkopf et al.137/5886,779,556B28/2004RoethelD501,673S*2/2005Bressler et al.D23/262	5,983,964 A	11/1999	Zielinksi et al.
6,648,016B2 * 11/2003Farrenkopf et al 137/5886,779,556B28/2004RoethelD501,673S * 2/2005Bressler et al D23/262	D421,098 S *	2/2000	Wrigley et al D23/279
6,779,556 B2 8/2004 Roethel D501,673 S * 2/2005 Bressler et al D23/262	6,347,785 B1	2/2002	Copp et al.
D501,673 S * 2/2005 Bressler et al D23/262	6,648,016 B2*	11/2003	Farrenkopf et al 137/588
	6,779,556 B2	8/2004	Roethel
	D501,673 S *	2/2005	Bressler et al D23/262
		8/2005	Karasawa D23/262

WO WO2004/085283 7/2004

* cited by examiner

Primary Examiner—T. Chase Nelson Assistant Examiner—Eric L Goodman

(57) **CLAIM**

The ornamental design for a slider value fitment probe, as shown and described.

DESCRIPTION

FIG. **1** is a top perspective view of a slider valve fitment probe. FIG. **2** is a bottom perspective view of the slider valve fitment probe.

FIG. **3** is a side view of the slider valve fitment probe. FIG. **4** is a front view of the slider valve fitment probe.

FIG. **5** is a top view of the slider valve fitment probe.

FIG. 6 is a bottom view of the slider valve fitment probe; and,

FIG. 7 is a second top perspective view of the slider valve fitment probe, including environmental features.

The broken line showing in FIG. 3 is included for the purpose of illustrating portions of the article and forms no part of the claimed design. The broken line showing of the collar in FIG. 7 is included for the purpose of illustrating environmental structure and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets



U.S. Patent Dec. 29, 2009 Sheet 1 of 4 US D607,090 S







U.S. Patent Dec. 29, 2009 Sheet 2 of 4 US D607,090 S







U.S. Patent Dec. 29, 2009 Sheet 3 of 4 US D607,090 S











U.S. Patent US D607,090 S Dec. 29, 2009 Sheet 4 of 4



