



US00D607091S

(12) **United States Design Patent**
Weston

(10) **Patent No.:** **US D607,091 S**

(45) **Date of Patent:** **** Dec. 29, 2009**

(54) **VALVE SEAT**

(75) Inventor: **Richard R. Weston**, Nazareth, PA (US)

(73) Assignee: **Victaulic Company**, Easton, PA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/275,938**

(22) Filed: **Jan. 10, 2007**

(51) **LOC (9) Cl.** **23-01**

(52) **U.S. Cl.** **D23/269**

(58) **Field of Classification Search** D23/259–269,
D23/249; 137/516.13–516.27; 251/368;
277/602, 608, 625–626; 285/104–105, 337

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,695,822	A *	12/1928	Restein	277/654
1,784,926	A *	12/1930	Christenson	285/95
2,742,356	A *	4/1956	Prasse et al.	420/585
3,094,337	A *	6/1963	Pippert et al.	277/638
D196,724	S *	10/1963	Davis, Jr.	D24/129
3,210,042	A	10/1965	Freeman	251/175
3,224,797	A *	12/1965	Hausmann et al.	285/370
3,224,798	A *	12/1965	Hausmann	285/179
3,486,733	A	12/1969	Gordon, Jr.	251/172
3,610,575	A	10/1971	Yoneda	271/184
3,722,859	A	3/1973	Murphy et al.	251/315.01
4,071,220	A	1/1978	Iino	251/174
4,186,931	A *	2/1980	Anderson	277/603
D256,046	S *	7/1980	Perrin	D23/269
4,355,827	A *	10/1982	Ehret	285/98
4,526,385	A *	7/1985	Wheeler	277/556
D336,679	S *	6/1993	Safford et al.	D23/249
D372,765	S *	8/1996	Sisk	D23/269
7,168,440	B1 *	1/2007	Blume	137/15.18
2001/0029981	A1 *	10/2001	Penza	137/516.23
2002/0185625	A1	12/2002	Gosling	251/315.01
2003/0111631	A1	6/2003	Gosling	251/315.01
2005/0205826	A1	9/2005	Scaramucci	251/314

* cited by examiner

Primary Examiner—T. Chase Nelson

Assistant Examiner—Eric L Goodman

(74) *Attorney, Agent, or Firm*—Ballard Spahr LLP

(57) **CLAIM**

The ornamental design for a valve seat, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of my design for a reinforced valve seat;

FIG. 2 is a front view of the design for the valve seat shown in FIG. 1;

FIG. 3 is a rear view of the design for the valve seat shown in FIG. 1;

FIG. 4 is a left side view of the design for the valve seat shown in FIG. 1, the right side, bottom and top views being identical thereto;

FIG. 5 is a perspective view of a second embodiment of my design for a reinforced valve seat;

FIG. 6 is a front view of the design for the valve seat shown in FIG. 5;

FIG. 7 is a rear view of the design for the valve seat shown in FIG. 5;

FIG. 8 is a left side view of the design for the valve seat shown in FIG. 5, the right side, bottom and top views being identical thereto;

FIG. 9 is a perspective view of a third embodiment of my design for a reinforced valve seat;

FIG. 10 is a front view of the design for the valve seat shown in FIG. 9;

FIG. 11 is a rear view of the design for the valve seat shown in FIG. 9;

FIG. 12 is a top view of the design for the valve seat shown in FIG. 9;


FIG. 13 is a bottom view of the design for the valve seat shown in FIG. 9;

FIG. 14 is a left side view of the design for the valve seat shown in FIG. 9; and,

FIG. 15 is a right side view of the design for the valve seat shown in FIG. 9.

The broken lines in FIGS. 1 and 4 are in no way intended to form part of the claimed design and are for illustrative purposes only.

1 Claim, 10 Drawing Sheets






FIG. 1




FIG.2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

FIG. 11





FIG. 12

FIG.13





FIG.14



FIG.15