

US00D607211S

(12) **United States Design Patent**  
**Reynolds**

(10) **Patent No.:** **US D607,211 S**  
(45) **Date of Patent:** **\*\* Jan. 5, 2010**

(54) **STRAP RETAINER FOR A CARRIED BAG**

D573,796 S 7/2009 Reynolds

\* cited by examiner

(76) Inventor: **Patricia E. Reynolds**, 260 E. Chestnut  
St., Suite 2105, Chicago, IL (US) 60611

*Primary Examiner*—Holly H Baynham

(74) *Attorney, Agent, or Firm*—Wood, Phillips, Katz, Clark &  
Mortimer

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/338,489**

(57) **CLAIM**

(22) Filed: **Jun. 12, 2009**

The ornamental design of a strap retainer for a carried bag, as  
shown and described.

(51) **LOC (9) Cl.** ..... **03-01**

(52) **U.S. Cl.** ..... **D3/318**

(58) **Field of Classification Search** ..... D3/318,  
D3/324; 224/264; 24/13, 351, 302, 178  
See application file for complete search history.

**DESCRIPTION**

The present application claims priority of U.S. Ser. No.  
12/082,124, filed on Apr. 9, 2008, entitled “Retainer for Bag  
Shoulder Strap”, the contents of which are incorporated into  
the present application.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,027,527 A	5/1912	Davis	
2,113,786 A	4/1938	Garfinkel	
4,386,723 A	6/1983	Mule	
4,811,876 A *	3/1989	Riggi	224/264
4,879,768 A	11/1989	McClees et al.	
4,887,318 A	12/1989	Weinreb	
5,016,368 A	5/1991	Cassata	
5,441,188 A	8/1995	Rosenstein	
5,666,701 A *	9/1997	Drummond	24/302

FIG. 1 is a perspective view of the present invention;

FIG. 2 is a top view of the present invention;

FIG. 3 is a bottom view of the present invention;


FIG. 4 is a left side view of the present invention;

FIG. 5 is a front view of the present invention; and,


FIG. 6 is a back view of the present invention.

The right side view is a mirror of the left side view shown in  
FIG. 4.


**1 Claim, 3 Drawing Sheets**




*Fig. 1*




*Fig. 2*




*Fig. 3*



*Fig. 4*



*Fig. 5*



*Fig. 6*

