

US00D607376S

# (12) United States Design Patent

# Buday

(10) Patent No.:

US D607,376 S

(45) **Date of Patent:** 

\*\* Jan. 5, 2010

# (54) BUCKLE

(76) Inventor: Alexander Buday, Visnova 18, Nitra

SK-949 01 (SK)

(\*\*) Term: 14 Years

(21) Appl. No.: 29/308,752

(22) Filed: Jul. 3, 2008

 (51) LOC (9) Cl.
 02-07

 (52) U.S. Cl.
 D11/212

 (58) Field of Classification Search
 11/1-2,

11/200–201, 203–206, 210, 212, 214–219, 11/222, 224, 226; 24/163 R, 169–171, 173, 24/177–179, 191, 194–195, 197, 200

See application file for complete search history.

## (56) References Cited

#### U.S. PATENT DOCUMENTS

D44,063 S	*	5/1913	Hirsh D11/216
D53,376 S	*	5/1919	Rauch D11/201
D147,934 S	*	11/1947	Strub
D178,017 S	*	6/1956	Savino
D196,908 S	*	11/1963	Di Mascolo D11/212
D217,419 S	*	5/1970	Rotondo D11/224
D520,738 S	3	5/2006	Tarantino
D521,726 S	3	5/2006	Tarantino

# OTHER PUBLICATIONS

Anonymous; Advertising Materials; www.lanyardsupply.com (3 pages).

\* cited by examiner

Primary Examiner—R. Seifert (74) Attorney, Agent, or Firm—James Creighton Wray; Meera P. Narasimhan

## (57) CLAIM

The ornamental design for a buckle, as shown and described.

#### **DESCRIPTION**

FIG. 1 is a front perspective view of a buckle showing my new design;

FIG. 2 is a front elevational view;

FIG. 3 is a left side elevational view, the right side elevational view being a mirror image thereof;

FIG. 4 is a rear elevational view;

FIG. 5 is a bottom plan view;

FIG. **6** is a front elevational view of the upper portion of the buckle, the lower portion has been removed for ease of illustration;

FIG. 7 is a rear elevational view of FIG. 6;

FIG. 8 is a front elevational view of the lower portion of the buckle reduced in scale for illustrative purposes, the upper portion has been removed for ease of illustration shown;

FIG. 9 is a rear elevational view of FIG. 8, shown slightly enlarged;

FIG. 10 is a rear elevational view of the front segment of the lower section of the buckle shown in FIG. 8, shown slightly enlarged;

FIG. 11 is a rear elevational view of the back segment of the lower section of the buckle of FIG. 9, shown slightly reduced in scale;

FIG. 12 is a rear perspective view of FIG. 1;

FIG. 13 is a rear perspective view of FIG. 12, shown partly disassembled and slightly reduced in scale for ease of illustration; and,

FIG. 14 is rear perspective view, the front and rear segments have been illustrated partly disassembled and the upper section of the buckle removed for ease of illustration.

### 1 Claim, 2 Drawing Sheets






FIG. 1

Jan. 5, 2010



FIG. 3









FIG. 4

FIG. 5







FIG. 6

FIG. 7







FIG. 8



FIG. 10









FIG. 11 FIG. 12






FIG. 13

FIG. 14

