



US00D607402S

(12) **United States Design Patent**
Himeda

(10) **Patent No.:** **US D607,402 S**
(45) **Date of Patent:** **** Jan. 5, 2010**

(54) **BATTERY**
(75) Inventor: **Noriko Himeda**, Osaka (JP)
(73) Assignee: **Panasonic Corporation**, Kadoma-shi (JP)
(**) Term: **14 Years**
(21) Appl. No.: **29/308,649**
(22) Filed: **Jun. 27, 2008**

D479,705 S 9/2003 Hirokawa
D481,993 S 11/2003 Searle
D486,445 S 2/2004 Kasahara
7,105,247 B2* 9/2006 Suzuki 429/96
D539,217 S 3/2007 Hamaguchi
D543,143 S 5/2007 Hamaguchi
D550,612 S * 9/2007 Harada et al. D13/103
D551,616 S 9/2007 Shimizu
D582,843 S * 12/2008 Linardos D13/103

(30) **Foreign Application Priority Data**
Dec. 28, 2007 (JP) 2007-036188
(51) **LOC (9) Cl.** **13-02**
(52) **U.S. Cl.** **D13/103**
(58) **Field of Classification Search** D13/102-106,
D13/110, 118-119, 184; 429/96-100, 163,
429/176
See application file for complete search history.

FOREIGN PATENT DOCUMENTS

JP D823366 S 11/1991

(Continued)

Primary Examiner—Jennifer Rivard
Assistant Examiner—Rosemary K Tarcza
(74) *Attorney, Agent, or Firm*—Christensen O'Connor Johnson Kindness PLLC

(57) **CLAIM**

The ornamental design for a battery, as shown and described.


(56) **References Cited**
U.S. PATENT DOCUMENTS

4,020,245 A 4/1977 Mabuchi
4,175,166 A 11/1979 Rosansky
D291,798 S 9/1987 Curiel
D376,579 S 12/1996 Bunyea
5,677,080 A 10/1997 Chen
D388,051 S 12/1997 Harada
D392,249 S 3/1998 Nakazawa
5,747,192 A 5/1998 Hughen
D403,297 S 12/1998 Nakazawa
D413,565 S 9/1999 Nakayama
D413,858 S 9/1999 Murakami
D427,140 S * 6/2000 Luh et al. D13/103
6,168,883 B1 1/2001 Urry
D457,131 S 5/2002 Kitoh
6,391,490 B1 5/2002 Aoi
D459,297 S 6/2002 Searle
6,423,438 B1 7/2002 Payne
D471,515 S 3/2003 Kasahara
6,531,244 B1 3/2003 Ryan, Jr.
6,541,153 B2 4/2003 Hessabi

DESCRIPTION

The file of this patent contains at least one figure executed in color. Copies of this patent with color figures will be provided by the Office upon request and payment of the necessary fee.
FIG. 1 is a perspective view of the front, top of a battery showing my new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof; and,
FIG. 8 is an expanded view of the pattern that is formed on the battery.

1 Claim, 8 Drawing Sheets
(8 of 8 Drawing Sheet(s) Filed in Color)



US D607,402 S

Page 2

FOREIGN PATENT DOCUMENTS					
			JP	D1109969 S	5/2001
			JP	D1110686 S	6/2001
			JP	D1110688 S	6/2001
			JP	D1110693 S	6/2001
			JP	D1160415 S	12/2002
			JP	D1161669 S	12/2002
			JP	D1161991 S	12/2002
			JP	D1167078 S	3/2003
			JP	D1173808 S	5/2003
			JP	D1196144 S	2/2004
			JP	D1230589 S	2/2005
			JP	D1247329 S	8/2005
			JP	D1254056 S	10/2005
			JP	D1254057 S	10/2005
			JP	D1254058 S	10/2005
			JP	D1254395 S	10/2005
			JP	D1254396 S	10/2005
			JP	D1254398 S	10/2005
			JP	D1274122 S	6/2006
			JP	D1274440 S	6/2006
			JP	D1274441 S	6/2006
			JP	D1274443 S	6/2006
			JP	D1282133 S	9/2006
			* cited by examiner		
JP	D823366/1 S	2/1992			
JP	D956118/1 S	6/1996			
JP	D956118 S	6/1996			
JP	D986583/1 S	8/1997			
JP	D987711 S	8/1997			
JP	D989583 S	8/1997			
JP	D1020121/1 S	9/1998			
JP	D1020121/2 S	9/1998			
JP	D1020121 S	9/1998			
JP	D1020124/1 S	9/1998			
JP	D1020124/2 S	9/1998			
JP	D1020124 S	9/1998			
JP	D810142 S	4/1999			
JP	D1044338/1 S	7/1999			
JP	D1044338/2 S	7/1999			
JP	D1044338/3 S	7/1999			
JP	D1044338 S	7/1999			
JP	D1059289 S	1/2000			
JP	D1059897 S	2/2000			
JP	D1059289/1 S	4/2000			
JP	D1070256/1 S	5/2000			
JP	D1070256 S	5/2000			




Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 6.




Fig. 7.




Fig. 8.