



US00D607533S

(12) **United States Design Patent**  
**Ezuka et al.**

(10) **Patent No.:** **US D607,533 S**  
(45) **Date of Patent:** **\*\* Jan. 5, 2010**

(54) **REEL SEAT FOR FISHING ROD**

(75) Inventors: **Naoyuki Ezuka**, Higashikurume (JP);  
**Ryosuke Imai**, Higashikurume (JP);  
**Michitaka Kurata**, Musashino (JP)

(73) Assignee: **Daiwa Seiko, Inc.**, Higashikurume (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/334,295**

(22) Filed: **Mar. 24, 2009**

(30) **Foreign Application Priority Data**

Oct. 31, 2008 (JP) ..... 2008-028208

(51) **LOC (9) Cl.** ..... **22-05**

(52) **U.S. Cl.** ..... **D22/142**

(58) **Field of Classification Search** ..... D22/142,  
D22/134, 137-139; 43/20, 22-23

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D317,345 S *	6/1991	Oyama	.....	D22/142
D569,945 S *	5/2008	Omura	.....	D22/142
D569,946 S *	5/2008	Omura	.....	D22/142
D593,639 S *	6/2009	Akiba et al.	.....	D22/142

\* cited by examiner

*Primary Examiner*—Catherine R Oliver

(74) *Attorney, Agent, or Firm*—Sughrue Mion, PLLC

(57) **CLAIM**

The ornamental design for a reel seat for fishing rod, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of the reel seat for fishing rod according to the present invention;

FIG. 2 is a bottom perspective view thereof;

FIG. 3 is a side view thereof;

FIG. 4 is another side view thereof, opposite the side in FIG. 3;

FIG. 5 is an end view thereof;


FIG. 6 is another end view thereof, opposite the end view in FIG. 5;

FIG. 7 is a top view thereof;

FIG. 8 is a bottom view thereof; and,

FIG. 9 is a cross-sectional view thereof, taken along line 9—9 in FIG. 7.

**1 Claim, 6 Drawing Sheets**






FIG. 1



FIG. 2




FIG. 3






FIG. 4



*FIG. 5*



*FIG. 6*






FIG. 7




FIG. 8




FIG. 9