

US00D607623S

(12) **United States Design Patent**
Hagen

(10) **Patent No.:** **US D607,623 S**
(45) **Date of Patent:** **** Jan. 5, 2010**

(54) **BUCKET**

(76) **Inventor:** **Lynn J. Hagen**, 300 W. Second St.,
Waunakee, WI (US) 53597

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/335,412**

(22) **Filed:** **Apr. 15, 2009**

(51) **LOC (9) Cl.** **07-07**

(52) **U.S. Cl.** **D32/53**

(58) **Field of Classification Search** D32/53,
D32/53.1, 54; 220/570, 495.01, 495.02,
220/904, 908; 15/260, 264, 257.06
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,341,876 A * 9/1967 Campbell 15/1
5,511,279 A * 4/1996 Ippolito 15/257.06
D417,935 S * 12/1999 Primeau D32/53
6,062,389 A * 5/2000 Kent 206/518
D546,012 S * 7/2007 Casteel et al. D32/53
D578,264 S * 10/2008 Lundy et al. D32/53.1

* cited by examiner

Primary Examiner—Robin V Webster

(74) *Attorney, Agent, or Firm*—Craig A. Fieschko, Esq.;
DeWitt Ross & Stevens S.C.

(57) **CLAIM**

I claim the ornamental design for a bucket, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a bucket showing my design, showing the front and right sides of the bucket;

FIG. 2 is a top perspective view thereof, showing the rear and left sides of the bucket;

FIG. 3 is a bottom perspective view thereof, showing the rear and right sides of the bucket;

FIG. 4 is a bottom perspective view thereof, showing the front and left sides of the bucket;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a right side elevational view thereof;


FIG. 8 is a left side elevational view thereof;

FIG. 9 is a front elevational view thereof; and,

FIG. 10 is a rear elevational view thereof.

Portion of views shown in broken lines: The broken line drawings of the array of nubs within the rear bucket pocket in FIGS. 1, 5, and 9; the array of treads within the front bucket pocket in FIGS. 2 and 5; the bail mounting peg on the exterior of the rear bucket pocket in FIGS. 1–10; the reinforcing flanges on the opposite sides of the bail mounting peg on the exterior of the rear bucket pocket in FIGS. 1–4 and 6–10; the hanging aperture at the edge of the rear bucket pocket in FIGS. 1–3 and 5–6; and the reinforcing flanges between the front and rear bucket pockets in FIGS. 1, 4, and 6–8 are for illustrative purposes only and form no part of the claimed design.

1 Claim, 10 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10