



US00D607900S

(12) **United States Design Patent**
Pelini

(10) **Patent No.:** **US D607,900 S**

(45) **Date of Patent:** **** Jan. 12, 2010**

(54) **JACK PLATE BRACKET**

(76) **Inventor:** **Mark F. Pelini**, 406 Sonoma Dr.,
Valrico, FL (US) 33594

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/312,655**

(22) **Filed:** **Nov. 5, 2008**

(51) **LOC (9) Cl.** **15-01**

(52) **U.S. Cl.** **D15/4**

(58) **Field of Classification Search** D15/4,
D15/5; D12/317; D8/353; 440/59, 61, 63,
440/65; 248/641, 642; D13/177

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,491,227	A *	4/1924	Fellabaum	384/2
6,890,227	B1 *	5/2005	Alby et al.	440/61 R
7,013,825	B1 *	3/2006	D'Alessandro	114/286
D561,708	S *	2/2008	Anzai	D13/177
7,513,810	B1 *	4/2009	Pelini	440/61 R

* cited by examiner

Primary Examiner—Cathron C. Brooks

Assistant Examiner—Maurice Stevens

(74) *Attorney, Agent, or Firm*—Edward P. Dutkiewicz

(57) **CLAIM**

The ornamental design for a jack plate bracket, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of the jack plate bracket, showing my new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a side elevational view thereof;


FIG. 4 is a side elevational view thereof;

FIG. 5 is a top plan view thereof; and,

FIG. 6 is a bottom plan view thereof.

The broken lines shown in the drawings represent unclaimed portions of the jack plate bracket and form no part thereof.

1 Claim, 3 Drawing Sheets






FIG 1




FIG 2




FIG 3




FIG 4

FIG 5




FIG 6

