

US00D607946S

(12) **United States Design Patent**  
**Ehara et al.**

(10) **Patent No.:** **US D607,946 S**  
(45) **Date of Patent:** **\*\* Jan. 12, 2010**

(54) **PORTABLE ELECTRONIC COMPUTER**

D554,194 S \* 10/2007 Ehara et al. .... D21/330

(75) Inventors: **Yui Ehara**, Kyoto (JP); **Kazunori Koshiishi**, Kyoto (JP); **Masaki Amano**, Kyoto (JP); **Kouchi Kawai**, Kyoto (JP)

(73) Assignee: **Nintendo Co., Ltd.**, Kyoto (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/334,624**

(22) Filed: **Mar. 30, 2009**

(30) **Foreign Application Priority Data**

Oct. 1, 2008 (JP) ..... 2008-025320

(51) **LOC (9) Cl.** ..... **21-01**

(52) **U.S. Cl.** ..... **D21/330**

(58) **Field of Classification Search** ..... D21/324,  
D21/329, 330, 333; D14/496, 125; 273/148 B;  
463/1, 2, 29-36, 45, 47; 345/156, 173, 867,  
345/903; 361/679, 681, 672, 500

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D275,971 S \* 10/1984 Yokoi ..... D21/330
- 4,542,903 A \* 9/1985 Yokoi et al. .... 463/31
- D333,493 S \* 2/1993 Sato ..... D21/330
- D378,686 S \* 4/1997 Proctor et al. .... D19/60
- 6,400,351 B1 \* 6/2002 Ishizawa et al. .... 345/156
- D474,510 S \* 5/2003 Fayram et al. .... D21/330
- D484,918 S \* 1/2004 Okada et al. .... D21/330
- D494,190 S \* 8/2004 Hong et al. .... D14/501
- 6,850,407 B2 \* 2/2005 Tanimoto et al. .... 361/679.27
- 6,958,902 B2 \* 10/2005 Tseng et al. .... 361/679.06
- D524,870 S \* 7/2006 Sugino et al. .... D21/330
- D532,051 S \* 11/2006 Sugino et al. .... D21/330
- D536,382 S 2/2007 Sugino et al.

**OTHER PUBLICATIONS**

- U.S. Appl. No. 29/334,360, filed Mar. 25, 2009.
- U.S. Appl. No. 29/334,361, filed Mar. 25, 2009.
- U.S. Appl. No. 29/334,356, filed Mar. 25, 2009.

\* cited by examiner

*Primary Examiner*—Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm*—Nixon & Vanderhye, P.C.

(57) **CLAIM**

The ornamental design for a portable electronic computer, as shown and described.

**DESCRIPTION**

FIG. 1 is front, bottom and right perspective view of a portable electronic computer showing our new design, a lid with display being opened;

FIG. 2 is rear, top and left perspective view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a left side view thereof;

FIG. 8 is a right side view thereof;

FIG. 9 is a front, bottom and right perspective view of thereof, the lid with display being closed;

FIG. 10 is a front view thereof;

FIG. 11 is a rear plan view thereof;

FIG. 12 is a top plan view thereof;

FIG. 13 is a bottom plan view thereof;

FIG. 14 is a left side view thereof; and,

FIG. 15 is a right side view thereof.

**1 Claim, 8 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11






FIG. 12




FIG. 13




FIG. 14




FIG. 15

