



US00D608197S

(12) **United States Design Patent**  
**Gotsmich**

(10) **Patent No.:** **US D608,197 S**  
(45) **Date of Patent:** **\*\* Jan. 19, 2010**

(54) **CLOSURE**  
(75) Inventor: **Daniel Gotsmich**, Hinterschmiding (DE)  
(73) Assignee: **Seaquist Closures Löffler GmbH**,  
Freyung (DE)  
(\*\*) Term: **14 Years**  
(21) Appl. No.: **29/314,944**  
(22) Filed: **May 11, 2009**

D489,257 S \* 5/2004 Braaten et al. .... D9/444  
D489,258 S \* 5/2004 Hollmann et al. .... D9/444  
D489,504 S \* 5/2004 Lin ..... D34/11  
D504,611 S \* 5/2005 Bakic ..... D9/446  
D513,987 S \* 1/2006 Bansal ..... D9/449  
D525,136 S \* 7/2006 Bakic ..... D9/522  
D526,195 S \* 8/2006 Jelich et al. .... D9/449  
D526,562 S \* 8/2006 Jelich et al. .... D9/435

(30) **Foreign Application Priority Data**  
Nov. 12, 2008 (EM) ..... 001 037 204

(Continued)

(51) **LOC (9) Cl.** ..... **09-07**  
(52) **U.S. Cl.** ..... **D9/449; D9/454**  
(58) **Field of Classification Search** ..... D9/556,  
D9/529, 454, 453, 452, 449, 443, 439, 504,  
D9/450, 447, 446, 730-732, 435; D8/312;  
D7/392.1; D23/261; D14/217; D12/197;  
229/123.1; 222/541.2, 575, 566, 556, 552,  
222/519, 494, 480, 479, 212, 565; 220/288,  
220/810, 781; 215/350, 344, 295, 270, 256,  
215/252, 218, 216, 209, 206, 235, 236, 331,  
215/220; 206/534; 116/308-315

**OTHER PUBLICATIONS**

U.S. Appl. No. 29/308,488, filed Jun. 18, 2008 (Jäckel et al.).

*Primary Examiner*—Susan Bennett Hattan  
(74) *Attorney, Agent, or Firm*—Wood, Phillips, Katz, Clark &  
Mortimer

See application file for complete search history.

(57) **CLAIM**

The ornamental design for a closure, as shown and described.

(56) **References Cited**

**DESCRIPTION**

**U.S. PATENT DOCUMENTS**

D276,597 S \* 12/1984 Harris ..... D9/435  
D317,869 S \* 7/1991 Kipperman et al. .... D9/446  
D348,840 S \* 7/1994 Kuzma ..... D9/575  
D367,605 S \* 3/1996 Moore ..... D9/686  
D373,728 S \* 9/1996 Moore ..... D9/448  
D376,320 S \* 12/1996 Lathrop et al. .... D9/558  
6,039,224 A \* 3/2000 Dallas et al. .... 222/565  
D423,361 S \* 4/2000 Negre ..... D9/521  
D424,422 S \* 5/2000 Landhed ..... D9/521  
D433,333 S \* 11/2000 Kokenge et al. .... D9/449  
6,321,923 B1 \* 11/2001 Wood ..... 215/235  
D461,718 S \* 8/2002 Brozell ..... D9/529  
D486,400 S \* 2/2004 Bakic ..... D9/558

FIG. 1 is an upper, right front, corner isometric view of a first embodiment of a closure showing my new design with the closure in the closed condition, and the closure is adapted to be mounted on a bottle or other container (not illustrated);


FIG. 2 is an upper, front isometric view thereof;

FIG. 3 is a lower, right front, corner isometric view thereof; and,

FIG. 4 is a lower, left rear, corner isometric view thereof with the lid closed.

The broken line showing of a hinge depicts environment only and forms no part of the claimed design.

**1 Claim, 4 Drawing Sheets**



# US D608,197 S

Page 2

## U.S. PATENT DOCUMENTS

D527,641 S *	9/2006	Bakic	.....	D9/529	D546,695 S *	7/2007	Penfold et al.	.....	D9/529
D527,999 S *	9/2006	Jelich et al.	.....	D9/449	D547,606 S *	7/2007	Forsman	.....	D7/396.2
D528,005 S *	9/2006	Bakic	.....	D9/529	D574,712 S *	8/2008	Bakic	.....	D9/522
D529,388 S *	10/2006	Bakic	.....	D9/529	D576,494 S *	9/2008	Bakic	.....	D9/529
D529,393 S *	10/2006	Bakic	.....	D9/574	D576,875 S *	9/2008	Steiger et al.	.....	D9/449
D529,802 S *	10/2006	Jelich et al.	.....	D9/449	D579,328 S *	10/2008	Ribadeneira et al.	.....	D9/442
D529,810 S *	10/2006	Davies et al.	.....	D9/529	D584,148 S *	1/2009	Stolle	.....	D9/449
D529,811 S *	10/2006	Ratzlaff	.....	D9/529	D584,159 S *	1/2009	Domoy et al.	.....	D9/558
D529,812 S *	10/2006	Ratzlaff	.....	D9/529	D585,289 S *	1/2009	Toh	.....	D9/529
D530,204 S *	10/2006	Zaidman	.....	D9/449	D585,739 S *	2/2009	Dombrowski et al.	.....	D9/449
D534,426 S *	1/2007	Bakic	.....	D9/449	D588,913 S *	3/2009	Bakic	.....	D9/435
D538,162 S *	3/2007	Smith	.....	D9/449	D589,796 S *	4/2009	McGeough	.....	D9/449
D539,144 S *	3/2007	Penfold et al.	.....	D9/449	D594,747 S *	6/2009	Moretti	.....	D9/449
					2005/0173366 A1 *	8/2005	Baudin	.....	215/235

\* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4