



US00D608197S

(12) **United States Design Patent**
Gotsmich

(10) **Patent No.:** **US D608,197 S**
(45) **Date of Patent:** **** Jan. 19, 2010**

(54) **CLOSURE**

(75) Inventor: **Daniel Gotsmich**, Hinterschmiding (DE)

(73) Assignee: **Seaquist Closures Löffler GmbH**,
Freyung (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/314,944**

(22) Filed: **May 11, 2009**

(30) **Foreign Application Priority Data**

Nov. 12, 2008 (EM) 001 037 204

(51) **LOC (9) Cl.** **09-07**

(52) **U.S. Cl.** **D9/449; D9/454**

(58) **Field of Classification Search** D9/556,
D9/529, 454, 453, 452, 449, 443, 439, 504,
D9/450, 447, 446, 730-732, 435; D8/312;
D7/392.1; D23/261; D14/217; D12/197;
229/123.1; 222/541.2, 575, 566, 556, 552,
222/519, 494, 480, 479, 212, 565; 220/288,
220/810, 781; 215/350, 344, 295, 270, 256,
215/252, 218, 216, 209, 206, 235, 236, 331,
215/220; 206/534; 116/308-315

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D276,597 S *	12/1984	Harris	D9/435
D317,869 S *	7/1991	Kipperman et al.	D9/446
D348,840 S *	7/1994	Kuzma	D9/575
D367,605 S *	3/1996	Moore	D9/686
D373,728 S *	9/1996	Moore	D9/448
D376,320 S *	12/1996	Lathrop et al.	D9/558
6,039,224 A *	3/2000	Dallas et al.	222/565
D423,361 S *	4/2000	Negre	D9/521
D424,422 S *	5/2000	Landhed	D9/521
D433,333 S *	11/2000	Kokenge et al.	D9/449
6,321,923 B1 *	11/2001	Wood	215/235
D461,718 S *	8/2002	Brozell	D9/529
D486,400 S *	2/2004	Bakic	D9/558

D489,257 S *	5/2004	Braaten et al.	D9/444
D489,258 S *	5/2004	Hollmann et al.	D9/444
D489,504 S *	5/2004	Lin	D34/11
D504,611 S *	5/2005	Bakic	D9/446
D513,987 S *	1/2006	Bansal	D9/449
D525,136 S *	7/2006	Bakic	D9/522
D526,195 S *	8/2006	Jelich et al.	D9/449
D526,562 S *	8/2006	Jelich et al.	D9/435

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/308,488, filed Jun. 18, 2008 (Jäckel et al.).

Primary Examiner—Susan Bennett Hattan

(74) *Attorney, Agent, or Firm*—Wood, Phillips, Katz, Clark & Mortimer

(57) **CLAIM**

The ornamental design for a closure, as shown and described.

DESCRIPTION

FIG. 1 is an upper, right front, corner isometric view of a first embodiment of a closure showing my new design with the closure in the closed condition, and the closure is adapted to be mounted on a bottle or other container (not illustrated);


FIG. 2 is an upper, front isometric view thereof;

FIG. 3 is a lower, right front, corner isometric view thereof; and,

FIG. 4 is a lower, left rear, corner isometric view thereof with the lid closed.

The broken line showing of a hinge depicts environment only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets



US D608,197 S

Page 2

U.S. PATENT DOCUMENTS

D527,641 S *	9/2006	Bakic	D9/529	D546,695 S *	7/2007	Penfold et al.	D9/529
D527,999 S *	9/2006	Jelich et al.	D9/449	D547,606 S *	7/2007	Forsman	D7/396.2
D528,005 S *	9/2006	Bakic	D9/529	D574,712 S *	8/2008	Bakic	D9/522
D529,388 S *	10/2006	Bakic	D9/529	D576,494 S *	9/2008	Bakic	D9/529
D529,393 S *	10/2006	Bakic	D9/574	D576,875 S *	9/2008	Steiger et al.	D9/449
D529,802 S *	10/2006	Jelich et al.	D9/449	D579,328 S *	10/2008	Ribadeneira et al.	D9/442
D529,810 S *	10/2006	Davies et al.	D9/529	D584,148 S *	1/2009	Stolle	D9/449
D529,811 S *	10/2006	Ratzlaff	D9/529	D584,159 S *	1/2009	Domoy et al.	D9/558
D529,812 S *	10/2006	Ratzlaff	D9/529	D585,289 S *	1/2009	Toh	D9/529
D530,204 S *	10/2006	Zaidman	D9/449	D585,739 S *	2/2009	Dombrowski et al.	D9/449
D534,426 S *	1/2007	Bakic	D9/449	D588,913 S *	3/2009	Bakic	D9/435
D538,162 S *	3/2007	Smith	D9/449	D589,796 S *	4/2009	McGeough	D9/449
D539,144 S *	3/2007	Penfold et al.	D9/449	D594,747 S *	6/2009	Moretti	D9/449
				2005/0173366 A1 *	8/2005	Baudin	215/235

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4