



US00D608200S

(12) **United States Design Patent**
Mazurkiewicz et al.

(10) **Patent No.:** **US D608,200 S**
(45) **Date of Patent:** **** Jan. 19, 2010**

(54) **DISPENSING CLOSURE BODY FOR USE WITH A THUMB OR FINGER PUSH DOWN PIVOTING ACTUATOR**

(75) Inventors: **Timothy M. Mazurkiewicz**, Milwaukee, WI (US); **James W. Henkel**, Glen Ellyn, IL (US)

(73) Assignee: **Seaquist Closures L.L.C.**, Mukwonago, WI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/313,735**

(22) Filed: **Feb. 5, 2009**

(51) **LOC (9) Cl.** **09-07**

(52) **U.S. Cl.** **D9/453**

(58) **Field of Classification Search** D9/772,
D9/724, 556, 529, 454, 453, 452, 449, 443,
D9/439; D8/312; D7/392.1; D23/261;
D14/217; D12/197; 229/123.1; 222/541.2;
220/288; 215/350, 344, 295, 270, 256, 252,
215/218, 216, 209, 206

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,198,399	A *	8/1965	Sagarin	222/182
3,223,287	A	12/1965	Sagarin		
D208,224	S *	8/1967	Crowell	D9/448
3,516,581	A	6/1970	Micallef		
4,487,342	A	12/1984	Shy		
4,776,501	A	10/1988	Ostrowsky		
4,962,869	A	10/1990	Gross et al.		
5,058,775	A	10/1991	Gross et al.		
5,236,107	A	8/1993	Spaanstra		
5,284,264	A	2/1994	Gross		
5,289,930	A	3/1994	Inouye		
5,314,093	A	5/1994	Gross et al.		
5,328,058	A	7/1994	Leoncavallo et al.		
5,341,960	A	8/1994	Lay		
5,346,100	A	9/1994	Lay		
5,727,703	A *	3/1998	Fuchs	215/214

6,029,866	A	2/2000	Wood et al.		
6,283,333	B1	9/2001	Knickerbocker et al.		
6,343,725	B1	2/2002	Lohrman		
6,431,416	B1	8/2002	Lohrman		
D475,924	S *	6/2003	Haffner	D9/453
6,832,700	B2	12/2004	Roberts et al.		
D506,390	S	6/2005	Bakic		
D527,256	S *	8/2006	Gieske	D9/445
D538,161	S	3/2007	Smith et al.		

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/286,474, Mazurkiewicz et al.

(Continued)

Primary Examiner—Susan Bennett Hattan

(74) *Attorney, Agent, or Firm*—Wood, Phillips, Katz, Clark & Mortimer

(57) **CLAIM**

The ornamental design for a dispensing closure body for use with a thumb or finger push down pivoting actuator, as shown and described.

DESCRIPTION

FIG. 1 is a front isometric view of a dispensing closure body for use with a thumb or finger push down pivoting actuator showing our new design with the actuator in the closed position;

FIG. 2 is a rear isometric view thereof;

FIG. 3 is a top view thereof;


FIG. 4 is a front elevational view thereof;

FIG. 5 is a rear elevational view thereof; and,

FIG. 6 is a right side elevational view thereof, the left side elevational view thereof being a mirror image.

The broken lines in the drawings depict environmental subject matter only and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



US D608,200 S

Page 2

U.S. PATENT DOCUMENTS

D561,587 S * 2/2008 Lin D9/453
D564,355 S * 3/2008 Berman D9/453
D572,131 S * 7/2008 Berman D9/453
D573,022 S * 7/2008 Berman D9/453
D587,115 S * 2/2009 Capretta et al. D9/453

OTHER PUBLICATIONS

U.S. Appl. No. 29/294,106, Mazurkiewicz et al.
U.S. Appl. No. 29/294,140, Mazurkiewicz et al.
Double-sided advertising sheet of Seaquist Closures with 1986 copy-
right date and entitled "Disc Top Dispensing Closures".
* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6