



US00D608444S

(12) **United States Design Patent**  
**Kyvik et al.**

(10) **Patent No.:** **US D608,444 S**  
(45) **Date of Patent:** **\*\* Jan. 19, 2010**

(54) **CATHETER ANCHOR PAD WITH RELEASE LAYER**

(76) Inventors: **Kurt Kyvik**, 5350 SW. First La., Ocala, FL (US) 34474; **Scott Ryan**, 5350 SW. First La., Ocala, FL (US) 34474

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/316,037**

(22) Filed: **Aug. 18, 2009**

(51) **LOC (9) Cl.** ..... **24-02**

(52) **U.S. Cl.** ..... **D24/130**

(58) **Field of Classification Search** ..... D24/127–130,  
D24/189; 604/179–180, 187, 227; 602/58–59;  
128/DIG. 26

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D267,510	S *	1/1983	Golub	.....	D24/189
5,423,737	A *	6/1995	Cartmell et al.	.....	602/57
5,476,443	A *	12/1995	Cartmell et al.	.....	602/58
5,501,661	A *	3/1996	Cartmell et al.	.....	602/58
5,662,598	A *	9/1997	Tobin	.....	602/41
5,685,859	A *	11/1997	Kornerup	.....	604/180
D414,872	S *	10/1999	Doyle	.....	D24/191
6,302,867	B1 *	10/2001	Brown et al.	.....	604/180
D458,687	S *	6/2002	Dale et al.	.....	D24/189
2004/0243045	A1 *	12/2004	Masini	.....	602/58
2006/0041233	A1 *	2/2006	Bowen	.....	604/180
2007/0049871	A1 *	3/2007	Fleischer	.....	604/180
2008/0051688	A1 *	2/2008	Lowe	.....	602/58
2009/0124950	A1 *	5/2009	Sigurjonsson et al.	.....	602/43

\* cited by examiner

*Primary Examiner*—T. Chase Nelson

*Assistant Examiner*—Eric L Goodman

(74) *Attorney, Agent, or Firm*—Thomas C. Saitta

(57) **CLAIM**

The ornamental design for a catheter anchor pad with release layer, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the catheter anchor pad with release layer, shown with the release layers in a spread position.

FIG. 2 is a top view of the catheter anchor pad with release layer, shown in the neutral position.

FIG. 3 is a bottom view of the catheter anchor pad with release layer, shown in the neutral position.

FIG. 4 is a left side view of the catheter anchor pad with release layer, shown in the neutral position, the right side view being a mirror image.

FIG. 5 is a front view of the catheter anchor pad with release layer, shown in the neutral position, the rear view being a mirror image.

FIG. 6 is a perspective view of the catheter anchor pad with the release layer removed, shown in the neutral position.

FIG. 7 is a perspective view of the catheter anchor pad with the release layer removed, shown in the active position surrounding a tube. The tube is illustrated in dashed lines as it forms no part of the invention.


FIG. 8 is a top view of the catheter anchor pad with the release layer removed, shown in the neutral position.


FIG. 9 is a bottom view of the catheter anchor pad with release layer removed, shown in the neutral position.

FIG. 10 is a left side view of the catheter anchor pad with release layer removed, shown in the neutral position, the right side view being a mirror image; and,


FIG. 11 is a front view of the catheter anchor pad with release layer removed, shown in the neutral position, the rear view being a mirror image.

**1 Claim, 5 Drawing Sheets**






*Fig. 1*




*Fig. 2*




*Fig. 3*




*Fig. 4*




*Fig. 5*




*Fig. 6*



*Fig. 7*



*Fig. 8*



*Fig. 9*



*Fig. 10*



*Fig. 11*