

(12) United States Design Patent (10) Patent No.: US D608,578 S Yang et al. (45) Date of Patent: ** Jan. 26, 2010

(57)

(54) **SOAP PUMP**

- (75) Inventors: Frank Yang, Rancho Palos Verdes, CA
 (US); Tzu-Hao Wei, Hacienda Heights, CA (US); Myk Wayne Lum, Irvine, CA
 (US); Helen Lin Tang, Rowland Heights, CA (US)
- (73) Assignee: simplehuman, LLC, Torrance, CA (US)

D564,273 S	*	3/2008	Yang et al D6/542
D581,193 S	*	11/2008	Ghiorghie D6/542
D582,187 S	*	12/2008	Yang et al D6/542

* cited by examiner

```
Primary Examiner—Brian N Vinson
(74) Attorney, Agent, or Firm—Knobbe, Martens, Olson &
Bear LLP
```

(**) Term: 14 Years

- (21) Appl. No.: 29/323,192
- (22) Filed: Aug. 20, 2008
- (51) LOC (9) Cl. 23-02
 (52) U.S. Cl. D6/542
 (58) Field of Classification Search D6/542–545; D9/682, 688, 690, 291, 448, 449; 221/282; 222/14, 173, 146.3, 628, 251, 181.1, 181.3 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D426,093 S	*	6/2000	Cayouette D6/542
D530,954 S	*	10/2006	Snell D6/542
D531,440 S	*	11/2006	Lo
D534,753 S	*	1/2007	Christianson D6/542
D554,412 S	*	11/2007	Yang et al D6/542

The ornamental design for a soap pump, as shown and described.

CLAIM

DESCRIPTION

FIG. 1 is a front, top, and left side perspective view of a soap pump embodying our new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is a front elevational view thereof;
FIG. 5 is a rear elevational view thereof; and,
FIG. 6 is a left side elevational view thereof, the right side elevational view being a mirror image thereof.
The broken-line disclosure in the drawings is understood to represent portions of the article in which the claimed design is embodied, but which form no part of the claimed design.

1 Claim, 6 Drawing Sheets



U.S. Patent Jan. 26, 2010 Sheet 1 of 6 US D608, 578 S









U.S. Patent Jan. 26, 2010 Sheet 3 of 6 US D608, 578 S





FIG. 3

U.S. Patent Jan. 26, 2010 Sheet 4 of 6 US D608, 578 S





U.S. Patent Jan. 26, 2010 Sheet 5 of 6 US D608, 578 S





U.S. Patent Jan. 26, 2010 Sheet 6 of 6 US D608, 578 S



