

(12) United States Design Patent (10) Patent No.: US D608,622 S Zhu (45) Date of Patent: ** Jan. 26, 2010

- (54) BACK-SAVER BELT-SUPPORTED BAG HOOK
- (76) Inventor: Frank Xiang Zhu, 20/6 Joffre Street, Port Macquarie, NSW (AU) 2444

(**) Term: 14 Years

- (21) Appl. No.: **29/324,161**
- (22) Filed: Sep. 8, 2008

Primary Examiner—Robert M Spear
Assistant Examiner—Barbara B Lohr
(74) Attorney, Agent, or Firm—Sturm & Fix LLP

(57) **CLAIM**

The ornamental design for a back-saver belt-supported bag hook, as shown and described.

(51)	LOC (9) Cl 08-05
(52)	U.S. Cl
(58)	Field of Classification Search D8/363,
	D8/367, 370; 248/301, 303, 304; 260/287.1,
	260/315.2; D6/248, 323, 411; 206/315.2,
	206/315.3, 315.6; 211/70.2; 294/143; D3/259
	See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

D275,527 S 4,974,764 A	9/1984 12/1990	Gee Cantwell	
D316,484 S	4/1991	Kounis	
D343,113 S *	1/1994	Brooks D8/370	
5,511,707 A	4/1996	Reichert	
6,374,577 B1	4/2002	Ventura	
6,640,970 B1*	11/2003	Townsend, Jr 206/315.2	
6,708,819 B1*	3/2004	Lee 206/287.1	
D513,875 S	1/2006	Liesko	
2004/0200940 A1*	10/2004	Pacheco 248/301	
* cited by examiner			

DESCRIPTION

FIG. 1 is a perspective view of a back-saver belt-supported bag hook showing my new design, wherein the back-saver belt-supported bag hook is illustrated in use attached to the belt of a user to transmit the weight of the bag directly to the pelvis and legs thereby alleviating pressure on the spine, the dashed line showing is for illustrative purposes only and does not form a part of the claimed design;

FIG. 2 is a perspective view of the back-saver belt-supported bag hook;

FIG. **3** is a front elevational view thereof, the rear elevational view being a mirror-image thereof;

FIG. **4** is a right side elevational view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

1 Claim, 3 Drawing Sheets



U.S. Patent Jan. 26, 2010 Sheet 1 of 3 US D608,622 S



U.S. Patent US D608,622 S Jan. 26, 2010 Sheet 2 of 3





U.S. Patent Jan. 26, 2010 Sheet 3 of 3 US

US D608,622 S



Fig. 6



