

US00D608656S

(12) **United States Design Patent**  
**Wilkes et al.**

(10) **Patent No.:** **US D608,656 S**  
(45) **Date of Patent:** **\*\* Jan. 26, 2010**

(54) **GUSSETED FLEXIBLE BOTTLE**

(75) Inventors: **Kenneth R. Wilkes**, Asheville, NC (US);  
**Frederic W. Schuldt**, Weaverville, NC (US)

(73) Assignee: **Smart Bottle Inc.**, Asheville, NC (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/339,873**

(22) Filed: **Jul. 9, 2009**

(51) **LOC (9) Cl.** ..... **09-05**

(52) **U.S. Cl.** ..... **D9/704**

(58) **Field of Classification Search** ..... D9/702-703,  
D9/705, 707, 709-710, 414, 719-722, 435,  
D9/447, 442, 522, 417, 415, 782, 704; 383/103-104,  
383/120-121, 107, 114, 61.1, 61.2, 63, 906;  
222/107, 541.5; 229/104, 200, 201, 125.15,  
229/125.42, 213, 214; 53/134.1, 456, 459,  
53/133.4; 220/495.03, 107; 428/34.1; 206/194,  
206/223, 541, 549

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,320,789 A 3/1982 Martin et al.

(Continued)

*Primary Examiner*—Caron Veynar

*Assistant Examiner*—Abraham Bahta

(74) *Attorney, Agent, or Firm*—Jones Day

(57) **CLAIM**

The ornamental design for a gusseted flexible bottle, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a gusseted flexible bottle in accordance with a first embodiment of the ornamental design of the present invention, showing the gusseted flexible bottle in a filled state.

FIG. 2 is a side view thereof, the opposite side view being a mirror image.

FIG. 3 is front view thereof.

FIG. 4 is rear view thereof.

FIG. 5 is a top view thereof.

FIG. 6 is a bottom view thereof.

FIG. 7 is a perspective view of the gusseted flexible bottle, shown in an empty state.

FIG. 8 is a front view thereof.

FIG. 9 is a side view thereof, the opposite side view being a mirror image.

FIG. 10 is a top view thereof.

FIG. 11 is a bottom view thereof.

FIG. 12 is a perspective view of a gusseted flexible bottle in accordance with a second embodiment of the ornamental design of the present invention, showing the gusseted flexible bottle in a filled state.

FIG. 13 is a side view thereof, the opposite side view being a mirror image.

FIG. 14 is front view thereof.

FIG. 15 is rear view thereof.

FIG. 16 is a top view thereof.

FIG. 17 is a bottom view thereof.

FIG. 18 is a perspective view of the second embodiment of the gusseted flexible bottle, shown in an empty state.

FIG. 19 is a front view thereof.


FIG. 20 is a side view thereof, the opposite side view being a mirror image.

FIG. 21 is a top view thereof; and,

FIG. 22 is a bottom view thereof.

Broken lines in the figures are for illustrative purposes only and form no part of the claimed design. Specifically, dashed lines define unclaimed features, and dot-dash lines define boundaries of the claimed design.

**1 Claim, 13 Drawing Sheets**








Fig. 2




Fig. 1




Fig. 3




Fig. 4




Fig. 6







Fig. 5




**Fig. 7**




**Fig. 8**




**Fig. 9**



**Fig. 10**



**Fig. 11**



**Fig. 12**






Fig. 13





Fig. 14



**Fig. 15**




Fig. 16




Fig. 17







Fig. 18




**Fig. 19**



**Fig. 20**



**Fig. 21**



**Fig. 22**