



US00D608656S

(12) **United States Design Patent**
Wilkes et al.

(10) **Patent No.:** **US D608,656 S**
(45) **Date of Patent:** **** Jan. 26, 2010**

(54) **GUSSETED FLEXIBLE BOTTLE**

(75) Inventors: **Kenneth R. Wilkes**, Asheville, NC (US);
Frederic W. Schuldt, Weaverville, NC (US)

(73) Assignee: **Smart Bottle Inc.**, Asheville, NC (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/339,873**

(22) Filed: **Jul. 9, 2009**

(51) **LOC (9) Cl.** **09-05**

(52) **U.S. Cl.** **D9/704**

(58) **Field of Classification Search** D9/702-703,
D9/705, 707, 709-710, 414, 719-722, 435,
D9/447, 442, 522, 417, 415, 782, 704; 383/103-104,
383/120-121, 107, 114, 61.1, 61.2, 63, 906;
222/107, 541.5; 229/104, 200, 201, 125.15,
229/125.42, 213, 214; 53/134.1, 456, 459,
53/133.4; 220/495.03, 107; 428/34.1; 206/194,
206/223, 541, 549

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,320,789 A 3/1982 Martin et al.

(Continued)

Primary Examiner—Caron Veynar

Assistant Examiner—Abraham Bahta

(74) *Attorney, Agent, or Firm*—Jones Day

(57) **CLAIM**

The ornamental design for a gusseted flexible bottle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a gusseted flexible bottle in accordance with a first embodiment of the ornamental design of the present invention, showing the gusseted flexible bottle in a filled state.

FIG. 2 is a side view thereof, the opposite side view being a mirror image.

FIG. 3 is front view thereof.

FIG. 4 is rear view thereof.

FIG. 5 is a top view thereof.

FIG. 6 is a bottom view thereof.

FIG. 7 is a perspective view of the gusseted flexible bottle, shown in an empty state.

FIG. 8 is a front view thereof.

FIG. 9 is a side view thereof, the opposite side view being a mirror image.

FIG. 10 is a top view thereof.

FIG. 11 is a bottom view thereof.

FIG. 12 is a perspective view of a gusseted flexible bottle in accordance with a second embodiment of the ornamental design of the present invention, showing the gusseted flexible bottle in a filled state.

FIG. 13 is a side view thereof, the opposite side view being a mirror image.

FIG. 14 is front view thereof.

FIG. 15 is rear view thereof.

FIG. 16 is a top view thereof.

FIG. 17 is a bottom view thereof.

FIG. 18 is a perspective view of the second embodiment of the gusseted flexible bottle, shown in an empty state.

FIG. 19 is a front view thereof.


FIG. 20 is a side view thereof, the opposite side view being a mirror image.

FIG. 21 is a top view thereof; and,

FIG. 22 is a bottom view thereof.

Broken lines in the figures are for illustrative purposes only and form no part of the claimed design. Specifically, dashed lines define unclaimed features, and dot-dash lines define boundaries of the claimed design.

1 Claim, 13 Drawing Sheets



US D608,656 S

Page 2

U.S. PATENT DOCUMENTS

5,624,048	A	4/1997	Sander et al.				
D421,898	S *	3/2000	Strange	D9/711			
6,213,645	B1 *	4/2001	Beer	383/211			
D504,622	S *	5/2005	Takahashi et al.	D9/707			
7,156,556	B2 *	1/2007	Takahashi et al.	383/104			
					D583,680	S *	12/2008 Berman
							D9/707
					7,537,387	B2 *	5/2009 Spork et al.
							383/88
					D597,853	S *	8/2009 Kerr et al.
							D9/705
					2007/0047851	A1	3/2007 Sato et al.
					2008/0277308	A1	11/2008 Simhaee

* cited by examiner




Fig. 2




Fig. 1




Fig. 3




Fig. 4




Fig. 6




Fig. 5




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22