



US00D608728S

(12) **United States Design Patent**
Brown

(10) **Patent No.:** **US D608,728 S**
(45) **Date of Patent:** **** Jan. 26, 2010**

(54) **TIRE TREAD**

(75) Inventor: **Robert F. Brown**, Mount Vernon, IL
(US)

(73) Assignee: **Continental Tire North America, Inc.**,
Charlotte, NC (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/294,887**

(22) Filed: **Jan. 31, 2008**

(51) **LOC (9) Cl.** **12-15**

(52) **U.S. Cl.** **D12/584; D12/900**

(58) **Field of Classification Search** D12/500–502,
D12/568, 574, 578, 582–585, 604, 900, 901;
D21/563, 779; 152/209.1, 209.18, 209.19,
152/209.21–209.25, 209.27

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,192,366 A * 3/1980 Sriver et al. 152/209.1
D287,953 S * 1/1987 Takeuchi D12/597
4,832,099 A * 5/1989 Matsumoto 152/209.23
D304,556 S * 11/1989 Tsuda et al. D12/582
D313,208 S * 12/1990 Cottrell D12/583
D316,066 S * 4/1991 Wischhusen D12/582
D316,692 S * 5/1991 Fukumoto D12/594
D321,157 S * 10/1991 Cottrell et al. D12/603
D381,942 S * 8/1997 Ford et al. D12/582
D429,480 S * 8/2000 Bonko D12/500
D451,437 S * 12/2001 Reid et al. D12/582

D500,472 S * 1/2005 Campana et al. D12/583
D548,175 S * 8/2007 Martin D12/603
2002/0157747 A1 * 10/2002 Shimada et al. 152/209.5
2005/0230020 A1 * 10/2005 Miyake 152/209.19
2007/0051448 A1 * 3/2007 Yumii 152/209.18

OTHER PUBLICATIONS

Michelin XRV Tire; 2005 Tread Design Guide, p. 84, Row 2, Item 2.*
Continental HSR Tire; 2005 Tread Design Guide, p. 105, Row 1, Item
2.*

Dayton Rib Radial All Position Tire; 2005 Tread Design Guide, p.
107, Row 3, Item 5.*

Mitas Implement Tire; 2005 Tread Design Guide, p. 185, Row 3, Item
1.*

* cited by examiner

Primary Examiner—Caron Veynar

Assistant Examiner—Garth Rademaker

(57) **CLAIM**

The ornamental design for a tire tread, as shown and
described.


DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing our new
design, it being understood that the tread pattern is repeated
uniformly throughout the circumference of the tire tread, as
shown schematically in solid lines.

FIG. 2 is an enlarged fragmentary front elevational view
thereof; and,

FIG. 3 is a side elevational view of the design of FIG. 1, the
opposite side elevational view being identical thereto.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3