



US00D608732S

(12) **United States Design Patent**
Hillard

(10) **Patent No.:** **US D608,732 S**
(45) **Date of Patent:** **** Jan. 26, 2010**

(54) **CHARGING STATION**

(75) Inventor: **Jake L. Hillard**, Wichita, KS (US)

(73) Assignee: **The Coleman Company**, Wichita, KS (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/331,441**

(22) Filed: **Jan. 26, 2009**

(51) **LOC (9) Cl.** **13-02**

(52) **U.S. Cl.** **D13/107**

(58) **Field of Classification Search** D13/102,
D13/107-110, 118-119, 184; D14/251,
D14/253, 432, 434; 320/107-115
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|-----------|-----|---------|--------------------|---------|
| 4,670,701 | A | 6/1987 | Sako et al. | |
| 4,751,452 | A | 6/1988 | Kilmer et al. | |
| 5,371,456 | A | 12/1994 | Brainard | |
| 5,396,162 | A | 3/1995 | Brilmyer | |
| D360,723 | S * | 7/1995 | Kasai et al. | D32/73 |
| 5,436,088 | A | 7/1995 | Castaneda et al. | |
| 5,504,412 | A | 4/1996 | Chan et al. | |
| 5,525,888 | A | 6/1996 | Toya | |
| 5,630,155 | A | 5/1997 | Karaki et al. | |
| D399,244 | S * | 10/1998 | Coveley | D18/12 |
| D406,099 | S * | 2/1999 | Ng et al. | D13/107 |
| 5,977,746 | A | 11/1999 | Hershberger et al. | |
| D419,956 | S * | 2/2000 | Lucaci et al. | D13/108 |
| D456,005 | S * | 4/2002 | Jokinen | D13/108 |
| 6,530,114 | B2 | 3/2003 | Bailey et al. | |
| 6,624,616 | B1 | 9/2003 | Frerking et al. | |
| D486,786 | S * | 2/2004 | Eroma et al. | D13/108 |
| 7,049,708 | B2 | 5/2006 | Hartman et al. | |
| D523,809 | S * | 6/2006 | Roth et al. | D13/108 |
| 7,059,769 | B1 | 6/2006 | Potega | |
| 7,176,656 | B2 | 2/2007 | Feldmann | |
| D545,319 | S * | 6/2007 | Griffin | D14/434 |
| D549,707 | S * | 8/2007 | Depay | D14/434 |
| D564,445 | S * | 3/2008 | Stratford | D13/108 |

| | | | | |
|--------------|-----|---------|----------------|---------|
| D578,061 | S * | 10/2008 | Kristensen | D13/110 |
| 2006/0108970 | A1 | 5/2006 | Leasure et al. | |
| 2006/0137274 | A1 | 6/2006 | Sastry | |
| 2006/0138996 | A1 | 6/2006 | Graham et al. | |
| 2006/0225781 | A1 | 10/2006 | Locher | |
| 2006/0267547 | A1 | 11/2006 | Godovich | |
| 2008/0231225 | A1 | 9/2008 | Lin | |
| 2008/0238356 | A1 | 10/2008 | Batson et al. | |

FOREIGN PATENT DOCUMENTS

| | | |
|----|------------|---------|
| EP | 1814014 | 1/2007 |
| GB | 2275582 | 8/1994 |
| JP | 2003333795 | 11/2003 |
| JP | 2004350430 | 12/2004 |
| JP | 2006166606 | 6/2006 |
| WO | 0052779 | 9/2000 |
| WO | 200241464 | 5/2002 |
| WO | 2002103881 | 12/2002 |
| WO | 2005112179 | 11/2005 |
| WO | 2007027943 | 3/2007 |

* cited by examiner

Primary Examiner—Jennifer Rivard
Assistant Examiner—Rosemary K Tarcza
(74) *Attorney, Agent, or Firm*—Kelly S. Elsea

(57) **CLAIM**

The ornamental design for a charging station, as shown and described.

DESCRIPTION

FIG. 1 is a front side perspective view of my charging station;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a left side elevation view thereof;
FIG. 5 is a right side elevation view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.
The broken line showing is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

