

US00D608818S

(12) **United States Design Patent**  
**Kindl**

(10) **Patent No.:** **US D608,818 S**  
(45) **Date of Patent:** **\*\* Jan. 26, 2010**

(54) **EAR SHADES**

(76) **Inventor:** **Daniel J. Kindl**, 9075 Ledgemont Dr.,  
Broadview Heights, OH (US) 44147

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/317,390**

(22) **Filed:** **Apr. 29, 2008**

(51) **LOC (9) Cl.** ..... **16-06**

(52) **U.S. Cl.** ..... **D16/338; D16/330; D16/335**

(58) **Field of Classification Search** ..... D16/101,  
D16/300-342; D29/109-110; D24/110.2;  
351/41, 44, 51-52, 62, 158, 92, 103-123,  
351/140, 153, 45-46, 156, 157; 2/426-432,  
2/447-449, 441, 434-437, 13, 15, 209; D21/483,  
D21/659-661

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

538,151 A	4/1895	Bussey	
830,439 A	9/1906	James	
915,757 A	3/1909	Fay	
1,048,191 A	12/1912	Maurice	
1,117,968 A	11/1914	Bobory	
1,468,556 A	9/1923	Camp et al.	
1,471,967 A	10/1923	Mahlmann	
1,619,772 A	3/1927	Thompson	
1,706,682 A	3/1929	Takacs	
1,759,041 A	5/1930	Dawes	
3,684,356 A *	8/1972	Bates	351/123
4,670,911 A	6/1987	Dunford	
D290,964 S *	7/1987	Kalbach	D16/338
4,682,374 A	7/1987	Geiser	
4,751,746 A	6/1988	Rustin	
4,856,089 A	8/1989	Horton	
5,092,667 A	3/1992	Bagley	
5,119,514 A	6/1992	Woehl	
D331,130 S	11/1992	Williams	
5,201,856 A	4/1993	Edwards	
5,351,343 A	10/1994	Harbison	
5,402,189 A	3/1995	Gill	

5,416,923 A	5/1995	Peugh	
5,440,355 A *	8/1995	Ross	351/122
5,493,733 A	2/1996	Pospisil	
D371,150 S	6/1996	Bolash, IV	
5,619,750 A	4/1997	Allewalt	
5,666,664 A	9/1997	Hamilton	
D384,968 S	10/1997	Scroy	
5,673,438 A	10/1997	Lambert	
D388,115 S *	12/1997	Celaschi et al.	D16/338
5,877,837 A	3/1999	Hayes	

(Continued)

*Primary Examiner*—Raphael Barkai

(74) *Attorney, Agent, or Firm*—Calfee, Halter & Griswold  
LLP

(57) **CLAIM**

I claim the ornamental designs for ear shades, as shown and described.

**DESCRIPTION**

FIG. 1 is a rear/right/top perspective view of a pair of ear shades;

FIG. 2 is a rear/left/bottom perspective view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;


FIG. 7 is a right side elevational view thereof for which the left side elevational view would be a mirror image of FIG. 7;

FIG. 8 is an inside view thereof viewed along 8—8 in FIG. 5; and,

FIG. 9 is a rear/right/top perspective view thereof showing an exemplary lens portion.

The broken lines immediately adjacent the shaded areas represent the bounds of the claimed design, while all other broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**



# US D608,818 S

Page 2

---

## U.S. PATENT DOCUMENTS

5,943,703	A	8/1999	Avila, Jr.	6,860,598	B1	3/2005	Bigda
6,029,282	A	2/2000	Buschman	7,020,901	B2	4/2006	Brhel
6,041,440	A	3/2000	Jackson	7,117,546	B2	10/2006	Goulding
6,067,664	A	5/2000	Cortes	2001/0029622	A1	10/2001	Bose et al.
6,278,788	B1	8/2001	Landis et al.	2002/0010452	A1	1/2002	Dupuy
D449,640	S *	10/2001	Grundy ..... D16/321	2002/0170106	A1	11/2002	Ducker Lebherz
6,550,064	B2	4/2003	Schmitt et al.	2003/0229932	A1	12/2003	Whelan et al.

\* cited by examiner




Fig. 1




Fig. 2




Fig. 3






Fig. 4









Fig. 5





Fig. 6






Fig. 7




Fig. 8






Fig. 9