

US00D608917S

(12) **United States Design Patent**
Ward et al.

(10) **Patent No.:** **US D608,917 S**
(45) **Date of Patent:** **** Jan. 26, 2010**

(54) **EQUIPMENT SUPPORT PAD**

(75) Inventors: **Charles Barry Ward**, Alpharetta, GA
(US); **Jay F. Rowland**, Duluth, GA (US)

(73) Assignee: **Diversitech Corporation**, Duluth, GA
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/339,965**

(22) Filed: **Jul. 10, 2009**

(51) **LOC (9) Cl.** **25-99**

(52) **U.S. Cl.** **D25/199; D13/199**

(58) **Field of Classification Search** 248/676,
248/678, 127, 151, 346.5; D13/199; D25/199;
D8/374

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,363,152	A *	12/1920	Murray, Jr. et al.	248/676
3,258,236	A *	6/1966	Moritz	248/127
3,317,069	A *	5/1967	Chin	215/353
D309,308	S *	7/1990	Webb	D15/7
D313,418	S *	1/1991	Webb	D15/7
D322,970	S *	1/1992	Webb	D15/9.1
D404,992	S *	2/1999	Sittig	D8/374
5,878,984	A *	3/1999	Grieser et al.	248/188.8
D423,340	S *	4/2000	Sittig	D8/374
6,135,410	A *	10/2000	Harrison	248/346.01
D493,095	S *	7/2004	Sittig	D8/374
D493,096	S *	7/2004	Sittig	D8/374
6,923,419	B2 *	8/2005	George et al.	248/676
D550,069	S *	9/2007	Milligan	D8/374
D555,569	S *	11/2007	Buettner	D12/223
D560,260	S *	1/2008	Flentye et al.	D21/694
7,334,421	B1 *	2/2008	Cantolino	62/259.1
2003/0047658	A1 *	3/2003	Peter et al.	248/346.01
2003/0183741	A1 *	10/2003	Milner	248/679
2005/0035267	A1 *	2/2005	Stansbury	248/677
2007/0090234	A1 *	4/2007	Liao	248/127

2007/0187564	A1 *	8/2007	McGuire	248/346.5
2007/0235616	A1 *	10/2007	Gross et al.	248/346.5
2008/0135693	A1 *	6/2008	Naporano	248/121
2009/0090835	A1 *	4/2009	Harrison	248/346.03
2009/0179122	A1 *	7/2009	Inzero	248/157
2009/0212177	A1 *	8/2009	Beasley	248/127

* cited by examiner

Primary Examiner—T. Chase Nelson

Assistant Examiner—Ania K Dworzecka

(74) *Attorney, Agent, or Firm*—Smith Gambrell & Russell
LLP

(57) **CLAIM**

The ornamental design for an equipment support pad, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of an equipment support pad in accordance with the present invention.

FIG. 2 is a bottom perspective view of the equipment support pad in accordance with the present invention.

FIG. 3 is a top plan view of the equipment support pad in accordance with the present invention.

FIG. 4 is a bottom plan view of the equipment support pad in accordance with the present invention.

FIG. 5 is a front elevation view of the equipment support pad in accordance with the present invention.


FIG. 6 is a rear elevation view of the equipment support pad in accordance with the present invention.

FIG. 7 is a side elevation view of the equipment support pad in accordance with the present invention.

FIG. 8 is a section view of the equipment support pad in accordance with the present invention has seen a long line 8—8 of FIG. 3; and,

FIG. 9 is a section view of the equipment support pad in accordance with the present invention has seen along a line 9—9 of FIG. 3.

1 Claim, 6 Drawing Sheets






Fig. 1




Fig. 2




Fig. 7




Fig. 3




Fig. 5




Fig. 4




Fig. 6





Fig. 8



6-9