



US00D608986S

(12) **United States Design Patent**
Cho

(10) **Patent No.:** **US D608,986 S**
(45) **Date of Patent:** **** Feb. 2, 2010**

(54) **CROWN STIFFENER WITH SUBSIDIARY STIFFENER**

(75) Inventor: **Byoung-Woo Cho**, Gyeonggi-do (KR)

(73) Assignee: **Yupoong, Inc.**, Seoul (KR)

(**) Term: **14 Years**

(21) Appl. No.: **29/335,336**

(22) Filed: **Apr. 14, 2009**

D405,239	S	*	2/1999	Kostinko	D2/882
D419,417	S	*	1/2000	Kane	D8/98
6,016,572	A	*	1/2000	Park	2/195.2
6,904,617	B2	*	6/2005	Tsai	2/209.13
6,918,139	B2	*	7/2005	Okot	2/195.3
7,000,553	B1	*	2/2006	Wang	112/475.11
7,278,173	B2	*	10/2007	Turner	2/209.4
2004/0181860	A1	*	9/2004	Forsyth-Gibson	2/456
2004/0221368	A1	*	11/2004	Okot	2/171
2005/0108809	A1	*	5/2005	Kronenberger	2/195.1
2006/0112475	A1	*	6/2006	Wang	2/195.5
2007/0143906	A1	*	6/2007	Renteria	2/195.1
2007/0157366	A1	*	7/2007	Cho	2/181

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/306,566, filed on Apr. 11, 2008, now Pat. No. Des. 598,640.

(51) **LOC (9) Cl.** **02-03**

(52) **U.S. Cl.** **D2/891**

(58) **Field of Classification Search** D2/865, D2/866, 872, 873, 876, 879, 882, 870, 878, D2/880, 881, 884, 886, 871, 875, 891, 892, D2/893, 894, 895; D5/1, 2, 3, 7, 29, 46, D5/47, 55, 58, 60, 61; 2/10, 12, 425, 171.4, 2/171.5, 174, 183, 184, 181, 175.1, 175.2, 2/175.3, 175.4, 175.5, 195.1, 195.2, 195.3, 2/195.5, 195.6, 200.1, 200.2, 209.11, 209.12, 2/209.13, 209.14, 255, 258, 260.1, 261
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,725,520	A	*	8/1929	Kaplan	2/209.5
4,222,125	A	*	9/1980	Sewell-Wood	2/195.1
4,270,229	A	*	6/1981	Lipschutz	2/195.1
4,312,076	A	*	1/1982	Gamm	2/209.13
5,373,586	A	*	12/1994	Brosnan	2/195.1
5,454,120	A	*	10/1995	Rowlands	2/195.1
5,481,760	A	*	1/1996	Wood, Jr.	2/195.5
5,704,070	A	*	1/1998	Stogner	2/209.13
5,741,060	A	*	4/1998	Johnson	362/106

* cited by examiner

Primary Examiner—Caron Veynar

Assistant Examiner—Karen E Eldridge Powers

(74) *Attorney, Agent, or Firm*—Fellers, Snider, Blankenship, Bailey & Tippens

(57) **CLAIM**

The ornamental design for a crown stiffener with subsidiary stiffener, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a crown stiffener with subsidiary stiffener;

FIG. 2 is a rear perspective view thereof; and,

FIG. 3 is another front perspective view of a crown stiffener with subsidiary stiffener.

The two broken lines that occur along the edges of the central seam in FIG. 1 and the three central, vertical broken lines in FIG. 2 represent stitching but form no part of the claimed design.

The broken lines in FIG. 3 are for the purpose of illustrating the environment in which the design is associated and form no part of the claimed design.

1 Claim, 3 Drawing Sheets




FIG. 1





FIG. 2






FIG. 3