



US00D609074S

(12) **United States Design Patent**
Hanes

(10) **Patent No.:** **US D609,074 S**

(45) **Date of Patent:** **** Feb. 2, 2010**

(54) **CABINET HANDLE**

(75) Inventor: **Wendy Hanes**, Benton, LA (US)

(73) Assignee: **Hardware Resources, Inc.**, Bossier City, LA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/314,883**

(22) Filed: **May 7, 2009**

(51) **LOC (9) Cl.** **08-06**

(52) **U.S. Cl.** **D8/317**

(58) **Field of Classification Search** D8/300-302, D8/305, 313-321, DIG. 1; D6/633; D7/393; D3/291, 318; D23/250-254; 292/347, 336.3; 16/101.1, 412, 414-420, 443-446, 441, 110 R, 16/111 R, DIG. 19, DIG. 20

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D197,961 S *	4/1964	Heyer	D8/317
D200,196 S *	2/1965	Carsello	D8/317
D208,689 S *	9/1967	Morgan	D8/317
D283,977 S *	5/1986	Kunzler	D8/301
D368,842 S *	4/1996	Sonnenleiter	D8/317
D373,067 S *	8/1996	De'Armond	D8/317
D399,117 S *	10/1998	Burns et al.	D8/317
D399,406 S *	10/1998	Decursu et al.	D8/317
D399,407 S *	10/1998	Burns et al.	D8/317
D401,835 S *	12/1998	Burns et al.	D8/317
D403,230 S *	12/1998	Ziemer et al.	D8/317
D406,745 S *	3/1999	Burns et al.	D8/317
D408,709 S *	4/1999	Wang	D8/306
D411,794 S *	7/1999	O'Neil	D8/305
D418,389 S *	1/2000	O'Neil	D8/317
D422,878 S *	4/2000	Marshall et al.	D8/317
D424,402 S *	5/2000	Caugh et al.	D8/317
D437,202 S *	2/2001	O'Neil	D8/317

D450,999 S *	11/2001	Dewald et al.	D8/317
D451,782 S *	12/2001	Dewald	D8/317
D493,349 S *	7/2004	Tetreault et al.	D8/317
D542,119 S *	5/2007	Ricereto	D8/317
D551,056 S *	9/2007	Ricereto	D8/317
D559,654 S *	1/2008	Tor Verges	D8/315
D570,186 S *	6/2008	Hanes	D8/317
D570,187 S *	6/2008	Hanes	D8/317
D574,217 S *	8/2008	Jou	D8/317
D574,218 S *	8/2008	Jou	D8/317
D574,694 S *	8/2008	Krumpe	D8/316
D582,247 S *	12/2008	Jou	D8/317
D598,268 S *	8/2009	Owens	D8/317

* cited by examiner

Primary Examiner—Stella M Reid

Assistant Examiner—Mark A Goodwin

(74) *Attorney, Agent, or Firm*—Schultz & Associates, P.C.

(57) **CLAIM**

The ornamental design for a cabinet handle, as shown and described.

DESCRIPTION

FIG. 1 is a top isometric view of the cabinet handle in accordance with the present invention.

FIG. 2 is a longitudinal side elevation view of the cabinet handle in accordance with the present invention.


FIG. 3 is a top view of the cabinet handle in accordance with the present invention.

FIG. 4 is a lateral side elevation view of the cabinet handle in accordance with the present invention; and,

FIG. 5 is a bottom view of the cabinet handle in accordance with the present invention.

The broken line showing of the circular features in FIG. 5 is included for the purpose of illustrating environmental structure and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5