



US00D609170S

(12) **United States Design Patent**  
**Feider et al.**

(10) **Patent No.:** **US D609,170 S**  
(45) **Date of Patent:** **\*\* Feb. 2, 2010**

(54) **TIRE**

(75) Inventors: **Georges Gaston Feider**, Bettborn (LU);  
**Jacques Collette**, Bastogne (BE)

(73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/304,748**

(22) Filed: **Mar. 7, 2008**

(51) **LOC (9) Cl.** ..... **12-16**

(52) **U.S. Cl.** ..... **D12/588**

(58) **Field of Classification Search** ..... D12/568-603;  
152/209.1, 209.8, 209.9, 209.12, 209.18,  
152/209.25

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D338,178 S	8/1993	Yamashita	.....	D12/141
D370,439 S	6/1996	Feider et al.	.....	D12/141
D380,995 S	7/1997	Grosskopf	.....	D12/143
D385,235 S	10/1997	Young	.....	D12/141
D390,510 S	2/1998	Stone et al.	.....	D12/143
D394,034 S	5/1998	Feider et al.	.....	D12/147
D395,626 S	6/1998	Gillard et al.	.....	D12/147
D402,943 S *	12/1998	Albert et al.	.....	D12/588
D414,725 S *	10/1999	Kemp, Jr.	.....	D12/588
D448,709 S	10/2001	Le	.....	D12/147
D458,582 S	6/2002	Rodicq et al.	.....	D12/586
D472,204 S	3/2003	Kemp, Jr. et al.	.....	D12/588
D481,670 S	11/2003	Harden, Jr. et al.	.....	D12/595
D481,992 S	11/2003	Harden, Jr. et al.	.....	D12/595
D500,010 S	12/2004	Maziarka et al.	.....	D12/590
D554,053 S *	10/2007	Feider et al.	.....	D12/588

D555,081 S 11/2007 Feider et al. .... D12/588

\* cited by examiner

*Primary Examiner*—Caron Veynar

*Assistant Examiner*—George D Kirschbaum

(74) *Attorney, Agent, or Firm*—Richard B. O’Planick

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the opposite side elevational view being identical thereto;

FIG. 4 is an enlarged fragmentary front elevational view thereof;


FIG. 5 is a perspective view of a second embodiment of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread and that the opposite side perspective view is identical thereto; and,

FIG. 6 is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 4, with the exception of the inclusion of the sidewall in solid lines.

In FIGS. 1-4, the broken lines defining the sidewall, inner bead and the peripheral boundary between the claimed tire tread and the sidewall depict environmental subject matter that forms no part of the claimed design.

The dark stippled surface shading represents the recessed portion of the tread grooves having a depth as best shown in FIG. 2.

**1 Claim, 6 Drawing Sheets**






FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6