



US00D609465S

(12) **United States Design Patent**
Adams

(10) **Patent No.:** **US D609,465 S**
(45) **Date of Patent:** **** Feb. 9, 2010**

(54) **CONCEALED HANDGUN CARRY CASE**

(76) Inventor: **Robert Del Adams**, 2848 Elder, Katy, TX (US) 77493

(**) Term: **14 Years**

(21) Appl. No.: **29/337,375**

(22) Filed: **May 20, 2009**

(51) **LOC (9) Cl.** **03-01**

(52) **U.S. Cl.** **D3/222**

(58) **Field of Classification Search** D3/222-223, D3/215, 221, 224, 226, 228, 230, 243, 262; 224/191-193, 240-245, 269, 911, 196
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | | |
|-----------|---|---|---------|-----------------|-------|---------|
| 299,573 | A | * | 6/1884 | Ord | | 224/196 |
| D237,077 | S | * | 10/1975 | Taylor | | D3/222 |
| D270,929 | S | * | 10/1983 | Shasteen et al. | | D3/262 |
| 5,234,145 | A | * | 8/1993 | Padin | | 224/243 |
| D423,211 | S | * | 4/2000 | Giliberti | | D3/226 |

* cited by examiner

Primary Examiner—Catherine R Oliver

(74) *Attorney, Agent, or Firm*—QuickPatents, Inc.; Kevin Prince

(57) **CLAIM**

I claim the ornamental design for a concealed handgun carry case, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a concealed handgun carry case, illustrated with a first embodiment of a flap in an open position, showing my new design;

FIG. 2 is a front elevational view thereof, illustrated with the first embodiment of the flap in a closed position;

FIG. 3 is a front elevational view thereof, illustrated with a second embodiment of the flap in the closed position;

FIG. 4 is a front elevational view thereof, illustrated with a third embodiment of the flap in the closed position;

FIG. 5 is a rear elevational view thereof, illustrated with the flap in the closed position;

FIG. 6 is a right-side elevational view thereof, illustrated with the first embodiment of the flap in the closed position;

FIG. 7 is a right-side elevational view thereof, illustrated with the first embodiment of the flap in the closed position;

FIG. 8 is a top plan view thereof, illustrated with the flap in the closed position;

FIG. 9 is a bottom plan view thereof, illustrated with the flap in the closed position;

FIG. 10 is a right-side elevational view thereof, illustrated with the second embodiment of the flap in the closed position;

FIG. 11 is a left-side elevational view thereof, illustrated with the second embodiment of the flap in the closed position;


FIG. 12 is a right-side elevational view thereof, illustrated with the third embodiment of the flap in the closed position; and,

FIG. 13 is a left-side elevational view thereof, illustrated with the third embodiment of the flap in the closed position.

The rear, top and bottom views are the same for each embodiment.

The broken lines showing a gun and a person in FIG. 1 are included for the purpose of illustrating the invention in use, and form no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

FIG. 10




FIG. 11




FIG. 12




FIG. 13

