

US00D609476S

(12) **United States Design Patent**  
**Hinnen**

(10) **Patent No.:** **US D609,476 S**

(45) **Date of Patent:** **\*\* Feb. 9, 2010**

(54) **SEAL CONTROL SHEET**

(75) Inventor: **Anneli Hinnen**, Lahti (FI)

(73) Assignee: **Wipak Oy**, Nastola (FI)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/281,827**

(22) Filed: **Jul. 3, 2007**

(30) **Foreign Application Priority Data**

May 16, 2007 (EM) ..... 000723960

(51) **LOC (9) Cl.** ..... **05-06**

(52) **U.S. Cl.** ..... **D5/60; D5/99**

(58) **Field of Classification Search** ..... D5/1-8,  
D5/11, 12, 15, 18, 19, 20, 23-26, 30, 32,  
D5/33, 35, 39, 41, 43, 45, 47-54, 56, 57,  
D5/59-66, 99; D6/582, 583, 595, 596, 603-606,  
D6/608, 613, 616, 617, 619, 622; D24/124-126;  
D25/142, 152; 5/413 AM, 709; 139/416,  
139/417, 424; 156/148, 209; 428/17, 18,  
428/154, 156, 171, 178, 187, 198, 199, 542.2,  
428/542.6, 190, 904.4, 919; 116/206; 52/311.1-311.3;  
66/193, 202; 206/459.1; D9/703, 707  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D105,961 S \* 9/1937 Mallinson ..... D6/582  
2,826,073 A \* 3/1958 Huyck et al. .... 374/102  
3,132,039 A \* 5/1964 Wildi ..... 428/535  
3,533,548 A \* 10/1970 Taterka ..... 206/459.1  
3,685,720 A \* 8/1972 Brady ..... 206/439  
3,827,625 A \* 8/1974 Miller ..... 383/211  
3,866,822 A \* 2/1975 Faltin et al. .... 229/69  
4,091,921 A \* 5/1978 Lewis ..... 206/363  
4,176,746 A \* 12/1979 Kooi ..... 206/438  
4,596,696 A \* 6/1986 Scoville, Jr. .... 422/61  
D286,622 S \* 11/1986 de Oliveira ..... D10/57  
5,096,813 A \* 3/1992 Krumhar et al. .... 435/28  
5,642,855 A \* 7/1997 Michlin ..... 229/305

D428,266 S \* 7/2000 Bergin ..... D5/60  
6,279,745 B1 \* 8/2001 Huynen et al. .... 206/439  
6,315,448 B1 \* 11/2001 Thrall ..... 383/205

(Continued)

**FOREIGN PATENT DOCUMENTS**

DE M9400726 \* 7/1994

(Continued)

**OTHER PUBLICATIONS**

“Reliable validation of the sealing process”, image and article describing the Striking Seal Control Sheet SC250, p. 6, Wepak Magazine, dated Feb. 2007 found at: [http://www.wepak.com/stc/wepakcom/magazines/wepak2007\\_2en/#](http://www.wepak.com/stc/wepakcom/magazines/wepak2007_2en/#) in a search dated Jun. 3, 2009 of Wepak Medical Products.\*

*Primary Examiner*—Robert M Spear  
*Assistant Examiner*—Karen Acker  
(74) *Attorney, Agent, or Firm*—Alston & Bird LLP

(57) **CLAIM**

The ornamental design for a seal control sheet, as shown and described.

**DESCRIPTION**

FIG. 1 is a top plan view of a seal control sheet showing my new design; and,  
FIG. 2 is a top plan view of another embodiment thereof.  
The broken lines in the drawings represent unclaimed environmental subject matter.

**1 Claim, 2 Drawing Sheets**



# US D609,476 S

Page 2

---

## U.S. PATENT DOCUMENTS

6,452,873 B1 \* 9/2002 Holt et al. .... 368/327  
6,530,602 B1 \* 3/2003 Stenzel et al. .... 283/114  
6,676,901 B1 \* 1/2004 Hatakeyama et al. .... 422/58  
7,163,101 B2 \* 1/2007 Harper ..... 206/210  
7,464,518 B2 \* 12/2008 Ansinn ..... 53/451  
2002/0153273 A1 \* 10/2002 Mallik et al. .... 206/459.1  
2003/0047477 A1 \* 3/2003 Nygardh et al. .... 206/459.1  
2003/0119203 A1 \* 6/2003 Wei et al. .... 436/514  
2006/0032774 A1 \* 2/2006 Norrby et al. .... 206/459.1

2009/0123332 A1 \* 5/2009 Whitehead et al. .... 422/27

## FOREIGN PATENT DOCUMENTS

DE 40004746 \* 5/2000  
DE 102004031203 A1 \* 1/2006  
EM 186028-0001 \* 6/2004  
EP 117390 A2 \* 9/1984  
FI 19960116 \* 12/1996  
FI 20070090 \* 10/2007

\* cited by examiner




FIG. 1




FIG. 2