



US00D609541S

(12) **United States Design Patent**
Hutchfield

(10) **Patent No.:** **US D609,541 S**
(45) **Date of Patent:** **** Feb. 9, 2010**

(54) **CRIMPING TOOL**

(75) Inventor: **John Hutchfield**, Sudbury (GB)

(73) Assignee: **Pressmaster AB**, Alvdalen (SE)

(**) Term: **14 Years**

(21) Appl. No.: **29/335,021**

(22) Filed: **Apr. 7, 2009**

(30) **Foreign Application Priority Data**

Oct. 21, 2008 (EM) 001024947

(51) **LOC (9) Cl.** **08-05**

(52) **U.S. Cl.** **D8/52**

(58) **Field of Classification Search** D8/1,
D8/4, 14, 51-58, 60, 105-107; 81/300, 318,
81/324, 326, 385, 393, 407, 415-418, 420,
81/424.5, 426, 426.5, 427, 427.5, 9.4, 9.41,
81/9.42, 9.43

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D239,498	S	*	4/1976	Wiener	D8/52
4,377,954	A	*	3/1983	Schulze	81/9.43
4,736,614	A	*	4/1988	Fryberger	81/421
5,012,666	A	*	5/1991	Chen et al.	81/402
5,063,770	A	*	11/1991	Chen	81/421
5,153,984	A		10/1992	Beetz et al.		
D346,316	S	*	4/1994	Bergkvist et al.	D8/52
D351,548	S	*	10/1994	Bergkvist et al.	D8/107

(Continued)

Primary Examiner—Cathron C Brooks

Assistant Examiner—Deanna Fluegeman

(74) *Attorney, Agent, or Firm*—Dickstein Shapiro LLP

(57) **CLAIM**

The ornamental design for crimping tool, as shown and described.

DESCRIPTION

FIG. 1 is a perspective top elevational view illustrating a first embodiment of my new design for a crimping tool;

FIG. 2 is a perspective bottom elevational view of the crimping tool of FIG. 1;

FIG. 3 is a front plan view of the crimping tool of FIG. 1;

FIG. 4 is a rear plan view of the crimping tool of FIG. 1;

FIG. 5 is a top plan view of the crimping tool of FIG. 1;

FIG. 6 is a bottom plan view of the crimping tool of FIG. 1;

FIG. 7 is a left side view of the crimping tool of FIG. 1;

FIG. 8 is a right side view of the crimping tool of FIG. 1;

FIG. 9 is a perspective top elevational view illustrating a second embodiment of my new design for a crimping tool;

FIG. 10 is a perspective bottom elevational view of the crimping tool of FIG. 9;

FIG. 11 is a front plan view of the crimping tool of FIG. 9;

FIG. 12 is a rear plan view of the crimping tool of FIG. 9;

FIG. 13 is a top plan view of the crimping tool of FIG. 9;



FIG. 14 is a bottom plan view of the crimping tool of FIG. 9;

FIG. 15 is a left side view of the crimping tool of FIG. 9; and,

FIG. 16 is a right side view of the crimping tool of FIG. 9.

The broken lines in the drawings illustrate unclaimed portions of the crimping tool and form no part of the claimed design.

1 Claim, 16 Drawing Sheets



US D609,541 S

Page 2

U.S. PATENT DOCUMENTS

5,491,894	A *	2/1996	Bieganski	81/9.41	6,997,028	B2 *	2/2006	Schmode	72/409.16
5,572,911	A *	11/1996	Schmode et al.	81/9.43	D543,429	S	5/2007	Norin	
5,724,870	A *	3/1998	Wiebe et al.	81/9.43	D544,323	S	6/2007	Hutchfield	
5,724,871	A *	3/1998	Wall	81/9.43	7,237,426	B2	7/2007	Baker et al.	
D423,895	S *	5/2000	Azkona	D8/60	D558,014	S	12/2007	Hutchfield	
D455,329	S *	4/2002	Renner	D8/52	D583,208	S *	12/2008	Huang	D8/60
D480,936	S	10/2003	Ahlgren et al.		7,513,177	B2 *	4/2009	Hofmann et al.	81/9.43
					D592,473	S *	5/2009	Storm et al.	D8/52

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16