

US00D609635S

(12) **United States Design Patent**  
**Daniels et al.**

(10) **Patent No.:** **US D609,635 S**  
(45) **Date of Patent:** **\*\* Feb. 9, 2010**

(54) **COMBINED JUMP STARTER AND AIR COMPRESSOR**

(75) Inventors: **David Daniels**, Palatine, IL (US); **Alan William Olsberg**, Schaumburg, IL (US)

(73) Assignee: **Old World Industries, Inc.**, Northbrook, IL (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/341,303**

(22) Filed: **Aug. 3, 2009**

(51) **LOC (9) Cl.** ..... **13-02**

(52) **U.S. Cl.** ..... **D13/107**

(58) **Field of Classification Search** ..... D13/102–103,  
D13/107–110, 118–119, 133, 144, 184; 320/103–105,  
320/107–115

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|              |         |                 |       |         |
|--------------|---------|-----------------|-------|---------|
| D484,852 S * | 1/2004  | James et al.    | ..... | D13/107 |
| D493,137 S * | 7/2004  | Casarella       | ..... | D13/107 |
| D503,377 S * | 3/2005  | Krieger et al.  | ..... | D13/107 |
| D503,378 S * | 3/2005  | Hussaini et al. | ..... | D13/107 |
| D504,396 S * | 4/2005  | Hussaini et al. | ..... | D13/107 |
| D504,870 S * | 5/2005  | Krieger et al.  | ..... | D13/107 |
| D508,675 S * | 8/2005  | Krieger et al.  | ..... | D13/107 |
| D513,604 S * | 1/2006  | Krieger et al.  | ..... | D13/107 |
| D523,395 S * | 6/2006  | Krieger et al.  | ..... | D13/107 |
| D530,666 S * | 10/2006 | Krieger et al.  | ..... | D13/107 |
| D545,269 S * | 6/2007  | Dayan           | ..... | D13/107 |
| D549,644 S * | 8/2007  | Hulden          | ..... | D13/107 |

\* cited by examiner

*Primary Examiner*—Rosemary K Tarcza

(74) *Attorney, Agent, or Firm*—McAndrews, Held & Malloy, Ltd.

(57) **CLAIM**

The ornamental design for a combined jump starter and air compressor, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a first embodiment of a combined jump starter and air compressor showing our new design;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a rear elevation view thereof;

FIG. 4 is a left side elevation view thereof;

FIG. 5 is a right side elevation view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a rear perspective view thereof;

FIG. 9 is a front perspective view of a second embodiment of a combined jump starter and air compressor showing our new design;

FIG. 10 is a front elevation view thereof;

FIG. 11 is a rear elevation view thereof;

FIG. 12 is a left side elevation view thereof;

FIG. 13 is a right side elevation view thereof;



FIG. 14 is a top plan view thereof;

FIG. 15 is a bottom plan view thereof; and,

FIG. 16 is a rear perspective view thereof.

The broken lines in the drawings represent environmental subject matter and form no part of the claimed design.

**1 Claim, 16 Drawing Sheets**








FIG. 1







FIG. 2





**FIG. 3**






FIG. 4






FIG. 5






FIG. 6






FIG. 7






FIG. 8






FIG. 9






FIG. 10






FIG. 11






FIG. 12






FIG. 13






FIG. 14






FIG. 15






FIG. 16