



US00D609655S

(12) **United States Design Patent**
Sugimoto

(10) **Patent No.:** **US D609,655 S**

(45) **Date of Patent:** **** Feb. 9, 2010**

(54) **ELECTROSTATIC CHUCK**

2008/0144251 A1* 6/2008 Tao et al. 361/234

(75) Inventor: **Hiroya Sugimoto**, Nagoya (JP)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **NGK Insulators, Ltd.**, Nagoya (JP)

TW	403730	9/2000
TW	577861	3/2004
TW	286812	9/2007

(**) Term: **14 Years**

* cited by examiner

(21) Appl. No.: **29/334,036**

Primary Examiner—Selina Sikder

(22) Filed: **Mar. 19, 2009**

(74) *Attorney, Agent, or Firm*—Burr & Brown

(30) **Foreign Application Priority Data**

(57) **CLAIM**

Oct. 3, 2008 (JP) 2008-025544

The ornamental design for an electrostatic chuck, as shown and described.

(51) **LOC (9) Cl.** **13-03**

(52) **U.S. Cl.** **D13/182**

(58) **Field of Classification Search** D13/182;
156/345.53; 279/128; 361/234

See application file for complete search history.

DESCRIPTION

FIG. 1 is a front view of an electrostatic chuck illustrating my new design;

FIG. 2 is a rear view thereof;

FIG. 3 is a left side view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a top plan view thereof, the bottom plan view being a mirror image of the plan view shown; and,

FIG. 6 is a partial cross-sectional view taken through line 6—6 of FIG. 1.

The broken lines shown in the figures are for illustrative purposes only and form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,998,320 A	12/1999	Yamada et al.	
6,370,004 B1	4/2002	Yamaguchi	
D548,705 S *	8/2007	Hayashi	D13/182
D552,565 S *	10/2007	Nakamura et al.	D13/182
7,457,098 B2 *	11/2008	Nakamura	361/234
D587,222 S *	2/2009	Sasaki et al.	D13/182
2007/0146961 A1 *	6/2007	Morioka et al.	361/234
2007/0247779 A1 *	10/2007	Nakamura	361/234
2008/0037194 A1 *	2/2008	Kamitani et al.	361/234

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

