



US00D609789S

(12) **United States Design Patent**  
**Milnes**

(10) **Patent No.:** **US D609,789 S**

(45) **Date of Patent:** **\*\* Feb. 9, 2010**

(54) **PIPE COUPLING**

(75) Inventor: **David John Milnes**, Rotherham (GB)

(73) Assignee: **Flex-Seal Couplings Limited** (GB)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/295,971**

(22) Filed: **Oct. 11, 2007**

(30) **Foreign Application Priority Data**

Apr. 18, 2007 (EM) ..... 00709241

(51) **LOC (9) Cl.** ..... **23-01**

(52) **U.S. Cl.** ..... **D23/262**

(58) **Field of Classification Search** ..... D23/259–269;  
285/11–12, 7, 177, 394–395, 307, 358, 179–183,  
285/423, 356, 303, 337, 1, 53, 404, 112,  
285/367, 373, 915; 403/300, 291

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,172,607 A \* 10/1979 Norton ..... 285/236  
4,380,348 A \* 4/1983 Swartz ..... 285/236  
4,518,177 A \* 5/1985 Deakins ..... 285/64  
4,538,839 A \* 9/1985 Ledgerwood ..... 285/236  
D317,351 S \* 6/1991 Takeuchi ..... D23/265

D317,352 S \* 6/1991 Takeuchi ..... D23/265  
5,383,693 A \* 1/1995 Shade ..... 285/373  
5,431,458 A \* 7/1995 Schaub et al. .... 285/236  
5,505,497 A \* 4/1996 Shea et al. .... 285/55  
D448,658 S \* 10/2001 Farina ..... D8/396  
D451,790 S \* 12/2001 Wagner et al. .... D8/396  
D483,442 S \* 12/2003 Leccacorvi ..... D23/265  
6,877,780 B2 \* 4/2005 Potts et al. .... 285/420  
D574,227 S \* 8/2008 Andersson ..... D8/396  
D583,027 S \* 12/2008 Morita ..... D23/265  
2005/0104376 A1 \* 5/2005 Presby ..... 285/369

\* cited by examiner

*Primary Examiner*—T. Chase Nelson

*Assistant Examiner*—Eric L Goodman

(74) *Attorney, Agent, or Firm*—Trexler, Bushnell,  
Giangiorgi, Blackstone & Marr, Ltd.

(57) **CLAIM**

The ornamental design for a pipe coupling, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the pipe coupling;  
FIG. 2 is a view of the front of the pipe coupling;  
FIG. 3 is a view of the back of the pipe coupling; and,  
FIG. 4 is a view of the top of the pipe coupling, where the  
bottom of the pipe coupling would be a mirror image.

**1 Claim, 4 Drawing Sheets**





FIG. 1






FIG. 2

FIG. 3




FIG. 4

