



US00D609824S

(12) **United States Design Patent**
Gleeson

(10) **Patent No.:** **US D609,824 S**

(45) **Date of Patent:** **** *Feb. 9, 2010**

(54) **MOISTURE BARRIER**

(75) Inventor: **James Gleeson**, North Curl Curl (AU)

(73) Assignee: **James Hardie Technology Limited**,
Dublin (IE)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/324,751**

(22) Filed: **Sep. 19, 2008**

(30) **Foreign Application Priority Data**

Mar. 20, 2008 (AU) 11417/2008

(51) **LOC (9) Cl.** **25-01**

(52) **U.S. Cl.** **D25/125**

(58) **Field of Classification Search** 405/38,
405/63; 52/408, 409, 410, 411, 412, 413,
52/169.14; D25/138, 125, 163
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

331,469 A	12/1885	Baker	
1,440,358 A	12/1922	Whetstone	
D216,836 S *	3/1970	Faulkner et al.	D25/125
D234,437 S *	3/1975	Cralk	D25/125
D275,705 S	9/1984	Gabriel	D25/73
5,473,847 A	12/1995	Crookston	52/302.1
5,747,142 A	5/1998	Bleasdale	428/167
6,279,284 B1 *	8/2001	Moras	52/408
D448,488 S	9/2001	Chaffiotte et al.	D24/219
6,298,620 B1	10/2001	Hatzinikolas	52/302.1
6,355,333 B1	3/2002	Waggoner et al.	428/174
D456,911 S	5/2002	Janesky	D25/119
6,449,915 B1	9/2002	Park	52/407.1
6,672,016 B2 *	1/2004	Janesky	52/169.5
6,695,535 B1 *	2/2004	Lazes	405/63
6,701,685 B2 *	3/2004	Rippey	52/408

6,802,668 B2	10/2004	Parker	405/49
D498,856 S	11/2004	Froech	D25/157
6,990,775 B2	1/2006	Koester	52/302.1
2003/0126810 A1 *	7/2003	Brunson et al.	52/169.5
2004/0226238 A1	11/2004	Haapiainen	52/302.1

(Continued)

FOREIGN PATENT DOCUMENTS

CA 2244625 2/2000

(Continued)

Primary Examiner—Doris Clark

(74) *Attorney, Agent, or Firm*—Gardere Wynne Sewell LLP


(57) **CLAIM**

The ornamental design for a moisture barrier, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a moisture barrier;
FIG. 2 is a front view of the moisture barrier shown in FIG. 1;
FIG. 3 is a back view of the moisture barrier shown in FIG. 1;
FIG. 4 is a side view of the moisture barrier shown in FIG. 1
having a mirrored side not shown; and,
FIG. 5 is an end view of the moisture barrier shown in FIG. 1
having a mirrored end not shown.
For FIGS. 1–5, lines shown as broken are for illustrative
purposes only, showing the environment, and form no part of
the claimed design.

1 Claim, 4 Drawing Sheets



US D609,824 S

Page 2

U.S. PATENT DOCUMENTS

2006/0005509 A1 1/2006 Yohnke et al. 52/782.1
2007/0130849 A1* 6/2007 Langer et al. 52/169.14

FOREIGN PATENT DOCUMENTS

EP 0127824 12/1984
EP 0373017 6/1990
EP 1243714 9/2002
JP 07279275 10/1995
JP 8109686 4/1996

JP 8267624 10/1996
JP 2000001944 1/2000
JP 2000017751 1/2000
JP 2000336814 12/2000
JP 2001-227100 8/2001
JP 2003-239408 8/2003
JP 3733370 12/2006
WO WO 03/089726 10/2003
WO WO 2004/092494 10/2004

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5