



US00D609884S

(12) **United States Design Patent**
Cho

(10) **Patent No.:** **US D609,884 S**
(45) **Date of Patent:** **** Feb. 16, 2010**

(54) **GORE-SHAPED COOLING PACK**
(75) Inventor: **Byoung-Woo Cho**, Gyeonggi-do (KR)
(73) Assignee: **Yupoong, Inc.** (KR)
(**) Term: **14 Years**

5,956,759 A * 9/1999 Benedict 2/7
D421,198 S 2/2000 Surface
D422,151 S 4/2000 Hwang et al.
D428,267 S * 7/2000 Romano et al. D5/61
D428,710 S * 8/2000 Romano et al. D5/61
6,108,818 A 8/2000 Eisenberg
D431,369 S 10/2000 Thomas

(21) Appl. No.: **29/303,417**
(22) Filed: **Feb. 8, 2008**

(Continued)

(51) **LOC (9) Cl.** **02-03**
(52) **U.S. Cl.** **D2/891**
(58) **Field of Classification Search** D2/865,
D2/866, 878, 879, 880, 881, 882, 884, 886,
D2/891, 892, 894; D5/1, 2, 53, 58; D29/102,
D29/103, 104, 105, 106, 109; 2/7, 10, 410,
2/171, 171.04, 171.2, 171.4, 171.5, 181,
2/181.2, 181.4, 181.6, 181.8, 182.1, 182.2,
2/182.3, 182.4, 182.5, 182.6, 182.7, 182.8,
2/195.1, 195.2, 195.3, 195.4, 200.1, 200.2,
2/209.11, 209.12, 209.13, 209.4, 209.5, 209.7;
607/109

Primary Examiner—Elizabeth A Albert
Assistant Examiner—Karen E Eldridge Powers
(74) *Attorney, Agent, or Firm*—Fellers, Snider, Blankenship,
Bailey & Tippens, P.C.

(57) **CLAIM**

The ornamental design for a gore-shaped cooling pack, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a gore-shaped cooling pack according to the first embodiment of my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof;
FIG. 8 is a perspective view of the gore-shaped cooling pack according to my new design, in which the thick, long-short-long broken line illustrates the point of insertion of the claimed design into a pocket formed in a gore of a cap and forms no part of the claimed design; and,
FIG. 9 is a perspective view of a cap having a gore-shaped cooling pack in a crown portion thereof.

See application file for complete search history.


(56) **References Cited**

U.S. PATENT DOCUMENTS

418,282 A 12/1889 Fechter
748,634 A * 1/1904 Murphy et al. 52/454
D91,881 S * 4/1934 Herrel D5/59
D203,071 S * 11/1965 Harty, Jr. D5/2
4,222,125 A * 9/1980 Sewell-Wood 2/195.1
4,237,558 A 12/1980 Mackenroth, III et al.
4,270,229 A * 6/1981 Lipschutz 2/195.1
4,312,076 A * 1/1982 Gamm 2/209.13
4,854,319 A * 8/1989 Tobin 607/109
D343,282 S 1/1994 Irish
D345,644 S 4/1994 Harvie
5,348,510 A * 9/1994 DuPont et al. 446/100
5,373,586 A * 12/1994 Brosnan 2/195.1
5,385,770 A * 1/1995 Julnes 428/195.1
D375,844 S * 11/1996 Edwards et al. D5/47
5,887,284 A * 3/1999 Simmons 2/181.4
5,907,871 A * 6/1999 Austin 2/209.12

The broken line showing of a hat in FIGS. 8 and 9, respectively, are for the purpose of illustrating the environment in which the design is associated and forms no part of the claimed design.

1 Claim, 7 Drawing Sheets



US D609,884 S

Page 2

U.S. PATENT DOCUMENTS

D456,533	S *	4/2002	Moller, Jr.	D25/163	D526,128	S *	8/2006	Delaney	D5/53
6,477,715	B2	11/2002	Shin		D538,514	S	3/2007	Nadeau	
D466,702	S *	12/2002	Carlson et al.	D5/47	D540,095	S *	4/2007	Lee	D6/583
D496,145	S *	9/2004	Lacey	D2/866	7,278,173	B2 *	10/2007	Turner	2/209.4
6,792,624	B2 *	9/2004	Simmons	2/209.13	D572,068	S	7/2008	Lin	
6,857,134	B1	2/2005	Cowell		D592,836	S *	5/2009	Cho	D2/894
6,904,617	B2 *	6/2005	Tsai	2/209.13	2005/0235396	A1	10/2005	Lee	
6,918,139	B2 *	7/2005	Okot	2/195.3	2007/0077223	A1	4/2007	Tai	
7,010,814	B2	3/2006	Benziger		2007/0079424	A1	4/2007	Cho	
7,020,900	B2	4/2006	Ngan		2007/0143906	A1 *	6/2007	Renteria	2/195.1
7,043,767	B2	5/2006	Jaeger		2007/0245456	A1	10/2007	Cho	

* cited by examiner




FIG. 1

FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7





FIG. 8






FIG. 9