

US00D610022S

(12) **United States Design Patent**
Kanfer et al.

(10) **Patent No.:** **US D610,022 S**
(45) **Date of Patent:** **** Feb. 16, 2010**

(54) **HAND HELD DISPENSER**

(75) Inventors: **Joseph S. Kanfer**, Richfield, OH (US);
Jonathan Sundy, Clayton, MO (US);
Bryce G. Rutter, St. Louis, MO (US)

(73) Assignee: **GOJO Industries, Inc.**, Akron, OH
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/332,925**

(22) Filed: **Feb. 27, 2009**

(51) **LOC (9) Cl.** **09-03**

(52) **U.S. Cl.** **D9/695**

(58) **Field of Classification Search** D9/702–710,
D9/523, 527, 713, 714, 720–722, 729, 575,
D9/695, 696, 521; 206/459.5, 210; D3/205;
222/107, 182, 323, 401; 426/2, 79–82, 90,
426/106, 116, 143; 383/42, 207; 215/379–385
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D512,648 S	*	12/2005	Smith et al.	D9/702
D576,039 S	*	9/2008	Bradley et al.	D9/500
D586,216 S	*	2/2009	Crawford	D9/516
D591,166 S	*	4/2009	Bradley et al.	D9/691
D592,524 S	*	5/2009	Padain et al.	D9/691

* cited by examiner

Primary Examiner—Caron Veynar

Assistant Examiner—Abraham Bahta

(74) *Attorney, Agent, or Firm*—Renner, Kenner, Greive,
Bobak, Taylor & Weber

(57) **CLAIM**

We claim the ornamental design for a hand held dispenser, as
shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a first embodiment of a handheld
dispenser having a transparent container portion;

FIG. 2 is a bottom plan view of the first embodiment;

FIG. 3 is a side elevational view of the first embodiment, the
other side being a mirror image thereof;

FIG. 4 is a front elevational view of the first embodiment;

FIG. 5 is a rear elevational view of the first embodiment;

FIG. 6 is a top plan view of the second embodiment of a
handheld dispenser having an opaque container portion;

FIG. 7 is a bottom view of the second embodiment;


FIG. 8 is a side elevational view of the second embodiment,
the other side being a mirror image thereof;

FIG. 9 is a front elevational view of the second embodiment;
and,

FIG. 10 is a rear elevational view of the second embodiment.

In the drawings, the ghost-line portions do not form a part of
the design sought to be patented.

1 Claim, 2 Drawing Sheets






FIG.-1




FIG.-2




FIG.-3




FIG.-4




FIG.-5




FIG. - 9




FIG. - 10




FIG. - 8




FIG. - 7




FIG. - 6

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 610,022 S
APPLICATION NO. : 29/332925
DATED : February 16, 2010
INVENTOR(S) : Joseph S. Kanfer et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:


On the Title Page in the inventorship Item (75), please add a -- ; -- after the third named inventor "Bryce G. Rutter, St. Louis, MO (US)"

In the inventorship Item (75), please add as a fourth named inventor, the following person:

-- Robert J. Milet, Torrington, CT (US) --

Signed and Sealed this

Sixteenth Day of November, 2010

A handwritten signature in black ink, reading "David J. Kappos". The signature is written in a cursive, flowing style with a large initial 'D' and a stylized 'K'.

David J. Kappos
Director of the United States Patent and Trademark Office