



US00D610074S

(12) **United States Design Patent**
Cerny

(10) **Patent No.:** **US D610,074 S**
(45) **Date of Patent:** **** Feb. 16, 2010**

(54) **TIRE TREAD**

(75) Inventor: **Andrew D. Cerny**, Riverside, IA (US)

(73) Assignee: **Bridgestone Bandag Tire Solutions**

(**) Term: **14 Years**

(21) Appl. No.: **29/342,736**

(22) Filed: **Aug. 31, 2009**

(51) **LOC (9) Cl.** **12-15**

(52) **U.S. Cl.** **D12/579**

(58) **Field of Classification Search** D12/568,
D12/579-603, 900-901, 544, 559, 564-567;
152/209.1, 209.8-209.19, 209.25-209.28
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,875,986 A	4/1975	Boileau	
4,765,384 A	8/1988	Rohde	
4,982,775 A	1/1991	Matsumoto	
D333,453 S *	2/1993	Cook et al.	D12/579
D336,269 S	6/1993	Hinrichsen et al.	
D350,093 S	8/1994	Fukushima	
D371,097 S	6/1996	Fukushima	
D384,608 S	10/1997	Schuster	
D388,032 S *	12/1997	Bonko	D12/579
D402,244 S *	12/1998	Ando et al.	D12/579
D403,284 S	12/1998	Le	
D405,395 S *	2/1999	Ando et al.	D12/579
D412,302 S	7/1999	Rayman et al.	
D414,449 S	9/1999	Schuster	
D415,985 S	11/1999	Le et al.	
D420,630 S	2/2000	De Coninck et al.	
D444,740 S	7/2001	Le et al.	
D447,447 S	9/2001	Guspodin et al.	
D456,766 S	5/2002	Warchol et al.	
D458,585 S	6/2002	Rayman	

D458,586 S	6/2002	Demagall et al.	
D458,895 S	6/2002	Rayman	
D481,990 S *	11/2003	Hanna	D12/579
D492,643 S	7/2004	Robert	
D505,387 S	5/2005	Nonaka	
D507,520 S	7/2005	Oyama	
D517,977 S	3/2006	Robert	
D527,338 S	8/2006	Suzuki	
D529,434 S	10/2006	Regallis et al.	
D537,032 S	2/2007	Lebreton	
D549,163 S *	8/2007	Maus et al.	D12/579
D573,942 S	7/2008	Song	
D597,022 S *	7/2009	Pringiers	D12/579

* cited by examiner

Primary Examiner—Stacia Cadmus

(74) *Attorney, Agent, or Firm*—Thomas R. Kingsbury

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a side perspective view of a tire tread showing my new design, it being understood that the tread pattern is repeated throughout the circumference of the tire tread, the opposite side being the same as that shown;



FIG. 2 is a front elevational view thereof, the opposite side being identical thereto;

FIG. 3 is a side elevational view of the right side thereof, the opposite side being identical thereto; and,

FIG. 4 is an enlarged fragmentary front elevational view thereof.

The broken lines defining the tire sidewall, inner bead, and the peripheral boundary between the claimed tire tread and sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4