



US00D610145S

(12) **United States Design Patent**
Smith

(10) **Patent No.:** **US D610,145 S**
(45) **Date of Patent:** **** Feb. 16, 2010**

(54) **FINGER SHEATH WITH RETRACTABLE
STYLUS**

(76) Inventor: **Howard Smith**, 42554 Drennon Ct.,
Temecula, CA (US) 92592

(**) Term: **14 Years**

(21) Appl. No.: **29/341,007**

(22) Filed: **Jul. 29, 2009**

Related U.S. Application Data

(62) Division of application No. 29/291,837, filed on Sep.
17, 2007, now Pat. No. Des. 597,547.

(51) **LOC (9) Cl.** **14-02**

(52) **U.S. Cl.** **D14/411**

(58) **Field of Classification Search** D14/402-411,
D14/356, 388, 389, 383-385, 417, 426; 345/156-167,
345/179; 463/36-38; 358/417-473; D19/35,
D19/36, 41, 43, 51, 54, 56, 57; D3/29

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

36,652 A	10/1862	Jacobs	
1,379,777 A	5/1921	Oijerholm	
1,473,953 A	11/1923	Dart	
2,415,957 A	2/1947	McCormack	
D212,981 S *	12/1968	Laybourne	D19/41
D238,357 S	1/1976	Di Carlo	
D246,904 S *	1/1978	MacIntosh	D19/41
D253,416 S *	11/1979	MacIntosh	D19/41
D333,676 S *	3/1993	Bedol	D19/36
5,453,759 A	9/1995	Seebach	
5,803,322 A	9/1998	Boone et al.	
5,885,018 A	3/1999	Sato	
D418,494 S	1/2000	Robb	
D418,540 S	1/2000	Robb	
6,075,189 A	6/2000	Robb	
D440,570 S	4/2001	Schneider	
6,225,988 B1	5/2001	Robb	
D443,301 S	6/2001	Robb	
6,249,277 B1 *	6/2001	Varveris	345/179

D458,933 S	6/2002	Schneider	
D462,718 S	9/2002	Kobayashi	
D462,993 S	9/2002	Kobayashi	
6,533,480 B2	3/2003	Schneider	
6,626,598 B2 *	9/2003	Schneider	401/8
6,669,388 B1	12/2003	Short	
D487,896 S	3/2004	Tanner, Jr.	
6,702,500 B1	3/2004	Haffner et al.	
D497,952 S	11/2004	Bain	
6,905,271 B1	6/2005	Short	
D543,984 S *	6/2007	Riou	D14/411
D569,510 S *	5/2008	Poll et al.	D24/135
D576,625 S *	9/2008	Trigg et al.	D14/411
2002/0101401 A1	8/2002	Movahed	

* cited by examiner

Primary Examiner—Cathron C Brooks

Assistant Examiner—Deanna Fluegeman

(74) *Attorney, Agent, or Firm*—Biotech Beach Law Group,
PC

(57) **CLAIM**

I claim the ornamental design for a finger sheath with retract-
able stylus, as shown and described.

DESCRIPTION

FIG. 1 is a front, left, top view of the finger sheath with
retractable stylus shown with the stylus in an extended or
open configuration;

FIG. 2 is a right side elevational view thereof;

FIG. 3 is a left side elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;


FIG. 6 is a front elevational view thereof;

FIG. 7 is a rear elevational view thereof;

FIG. 8 is a left side elevational view of the claimed design
shown in an alternative position of use, wherein the stylus is
depicted in a retracted or closed configuration; and,

FIG. 9 is a bottom plan view thereof.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9