



US00D610176S

(12) **United States Design Patent**
Nagamine et al.

(10) **Patent No.:** **US D610,176 S**
(45) **Date of Patent:** **** Feb. 16, 2010**

(54) **COATER CUP**

(75) Inventors: **Shuichi Nagamine**, Koshi (JP);
Naofumi Kishita, Koshi (JP); **Koji**
Takayanagi, Koshi (JP); **Yuichiro**
Miyata, Koshi (JP); **Yasushi Takiguchi**,
Koshi (JP)

(73) Assignee: **Tokyo Electron Limited**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/332,207**

(22) Filed: **Feb. 11, 2009**

(30) **Foreign Application Priority Data**

Aug. 26, 2008 (JP) 2008-021814

(51) **LOC (9) Cl.** **15-09**

(52) **U.S. Cl.** **D15/138**

(58) **Field of Classification Search** D15/138,
D15/199; D9/439, 454; D23/269; 118/52,
118/319, 320, 603; 156/345; 427/96; 430/7,
430/325, 327, 330, 935; 438/758, 763, 782
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D35,534 S * 12/1901 Conlin D23/269
D315,309 S * 3/1991 Baughman D9/456
D320,559 S * 10/1991 Olson D9/439
D338,621 S * 8/1993 Balson D9/434
D339,958 S * 10/1993 Olsen et al. D7/392.1
D347,885 S * 6/1994 Gustafsson D23/269
5,605,866 A * 2/1997 McClanahan et al. 438/758
5,692,630 A * 12/1997 Hsu 215/396
D442,864 S * 5/2001 Davies D9/454
6,270,576 B1 * 8/2001 Araki et al. 118/52
6,550,484 B1 * 4/2003 Gopinath et al. 134/1.2
D474,377 S * 5/2003 Holsinger D7/615
6,579,370 B2 * 6/2003 Kimura et al. 118/603
D480,304 S * 10/2003 Stodd D9/434
D489,611 S * 5/2004 Monsanty D9/435

D498,826 S * 11/2004 Takahiro et al. D23/269
6,849,293 B2 * 2/2005 Rawat 427/96.1
D518,728 S * 4/2006 Frantz D9/504
D525,127 S * 7/2006 Cogley et al. D9/456
D551,550 S * 9/2007 Noonan D9/454
D562,683 S * 2/2008 Sweeton et al. D9/454
2007/0087576 A1 * 4/2007 Blomiley et al. 438/758
2007/0212894 A1 * 9/2007 Nakazawa 438/758
2009/0004607 A1 * 1/2009 Shimoaoki et al. 430/325

FOREIGN PATENT DOCUMENTS

JP 61-191169 11/1986

* cited by examiner

Primary Examiner—Sandra Snapp

Assistant Examiner—Patricia Palasik

(74) *Attorney, Agent, or Firm*—Oblon, Spivak, McClelland,
Maier & Neustadt, L.L.P.

(57) **CLAIM**

The ornamental design for a coater cup, as shown and
described.

DESCRIPTION

FIG. 1 is a top perspective view of a coater cup showing new
design;

FIG. 2 is a bottom perspective view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a vertical sectional view taken along line 7—7 of
FIG. 5 thereof; and,

FIG. 8 is an enlarged view taken along line 8—8 of FIG. 7
thereof.

The article is mounted on an upper end opening portion of a
cup base portion surrounding a lower portion side of a spin
chuck of a coater which holds a semiconductor wafer.

1 Claim, 4 Drawing Sheets





FIG.1




FIG.2




FIG.3



FIG.4




FIG.5




FIG.6




FIG.7




FIG.8

