



US00D610269S

(12) **United States Design Patent**  
**Canales**

(10) **Patent No.:** **US D610,269 S**

(45) **Date of Patent:** **\*\* \*Feb. 16, 2010**

(54) **ARCHITECTURAL PANEL WITH CRUSHED METALLIC COMPONENT**

(75) **Inventor:** **Jill A. Canales**, Salt Lake City, UT (US)

(73) **Assignee:** **3form, Inc.**, Salt Lake City, UT (US)

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/336,957**

(22) **Filed:** **May 12, 2009**

(51) **LOC (9) Cl.** ..... **25-01**

(52) **U.S. Cl.** ..... **D25/138**

(58) **Field of Classification Search** ..... D25/111,  
D25/138-145, 150-153, 156, 157, 163, 199,  
D25/102-105; D5/20, 24, 32, 54; 156/63;  
52/81.4, 81.5, 81.6, 747.1, 783.11, 311.1,  
52/313, 311.2, 316; 428/34, 34.1-34.9, 35.7,  
428/36.1-36.4, 67, 446, 542.2, 542.6, 902,  
428/904.4, 143, 147, 13, 332, 335, 336, 339,  
428/480, 483

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

232,140	A *	9/1880	Mason	.....	273/157 R
D22,753	S *	8/1893	Pilkington	.....	D25/103
D22,982	S *	12/1893	Apple	.....	D25/111
D33,672	S *	12/1900	Walsh, Jr.	.....	D25/111
D38,979	S *	12/1907	Woltjen	.....	D25/111
D43,349	S *	12/1912	Shuman	.....	D25/111
D44,435	S *	8/1913	Dobbins	.....	D25/111
D79,517	S *	10/1929	Haley	.....	D25/111
D87,410	S *	7/1932	Riley	.....	D5/54
D91,266	S *	1/1934	Fowler	.....	D5/1
D91,310	S *	1/1934	Bennett	.....	D5/32
1,977,265	A *	10/1934	Colvin, Jr.	.....	139/419
1,997,996	A *	4/1935	Carstens	.....	428/61

(Continued)

**OTHER PUBLICATIONS**

Lumicor, Crafted for Life, Product Catalog, 2008, pp. 1, 10, 11, 12, and 13.

(Continued)

*Primary Examiner*—Ian Simmons

*Assistant Examiner*—Mark A Goodwin

(74) *Attorney, Agent, or Firm*—Workman Nydegger

(57) **CLAIM**

The ornamental design for architectural panel with crushed metallic component, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of an architectural panel with crushed metallic component showing our new design in use condition;

FIG. 2 is an enlarged front perspective view thereof;

FIG. 3 is a front elevational view thereof, the rear elevational view being a mirror image thereof;

FIG. 4 is a left elevational view thereof in cross-section;


FIG. 5 is right elevational view thereof in cross-section;

FIG. 6 is a top plan cross-sectional view thereof; and,

FIG. 7 is a bottom plan cross-sectional view thereof.

The long dash short dash broken line showing of a wall structure in FIGS. 1 and 2 is included for the purpose of illustrating environmental structure and forms no part of the claimed design. The short dash broken line shown in FIGS. 1-7 is included for the purpose of illustrating the boundary of the architectural panel with crushed metallic component and forms no part of the claimed design.

**1 Claim, 3 Drawing Sheets**



# US D610,269 S

Page 2

## U.S. PATENT DOCUMENTS


2,248,233	A *	7/1941	Heritage	428/165	6,322,862	B1 *	11/2001	Sakai	428/13
D130,369	S *	11/1941	Holzhey	D5/54	D477,884	S *	7/2003	Di Giuseppe	D25/138
2,380,885	A *	7/1945	Wack	52/316	D486,922	S *	2/2004	Baxter	D25/163
D168,763	S *	2/1953	Prisland	D25/163	D488,565	S *	4/2004	Bresciani	D25/111
D180,884	S *	8/1957	Pomeroy	D5/54	6,743,327	B2	6/2004	Schober	
D181,368	S *	11/1957	Nold	D5/1	D513,537	S *	1/2006	Gulbrandsen	D25/150
D183,323	S *	8/1958	Pomeroy	D5/54	7,008,700	B1 *	3/2006	Goodson et al.	428/542.2
D189,035	S *	10/1960	Lanz	D25/138	D519,220	S *	4/2006	Gulbrandsen	D25/153
D190,647	S *	6/1961	Allen	D25/163	D527,191	S *	8/2006	Sparkes	D5/32
D192,733	S *	5/1962	McNeil	D25/163	D531,738	S *	11/2006	Folliard	D25/163
D197,176	S *	12/1963	Allen	D25/163	D531,739	S *	11/2006	Folliard	D25/163
3,159,525	A *	12/1964	Finger	428/152	D569,012	S *	5/2008	Ellis	D25/138
D201,994	S *	8/1965	Cann et al.	D25/141	D570,502	S *	6/2008	Silvestrin	D25/138
3,431,157	A *	3/1969	Mack	156/82	D573,727	S *	7/2008	Heatherly	D25/139
D215,589	S *	10/1969	Hooton	D25/152	D578,669	S *	10/2008	Kaump	D25/163
3,608,261	A *	9/1971	French et al.	52/316	D579,128	S *	10/2008	Kaump	D25/163
D227,754	S *	7/1973	Newberry	D25/151	7,481,957	B1 *	1/2009	Adickes	264/261
D240,813	S *	8/1976	Paschke et al.	D25/111	D587,821	S *	3/2009	Larsen	D25/141
D244,383	S *	5/1977	Tellman et al.	D15/163	7,550,057	B1	6/2009	Goodson et al.	
D244,544	S *	5/1977	Tellman et al.	D25/163	D603,060	S *	10/2009	Adickes	D25/111
D244,547	S *	5/1977	Tellman et al.	D25/150	2003/0113485	A1 *	6/2003	Schober	428/13
D249,069	S *	8/1978	Polifka	D25/152	2003/0152798	A1 *	8/2003	Nemchock	428/660
D257,407	S *	10/1980	Maahsen	D25/111	2004/0247801	A1 *	12/2004	Schober	428/13
D299,754	S *	2/1989	VanWeelden	D25/48	2005/0142330	A1 *	6/2005	Albert	428/143
D320,506	S *	10/1991	Nasser	D5/62	2006/0046017	A1 *	3/2006	Adickes	428/67
D323,726	S *	2/1992	Murphy	D5/53	2006/0127611	A1 *	6/2006	Hunter	428/34
D330,435	S *	10/1992	Dukart et al.	D25/138	2008/0014398	A1 *	1/2008	Tueshaus et al.	428/38
D342,163	S *	12/1993	Lesner	D5/47	2008/0102255	A1 *	5/2008	Yang	428/195.1
D366,154	S *	1/1996	Bick et al.	D5/32	2008/0163648	A1 *	7/2008	Sundholm et al.	65/17.2
D392,105	S *	3/1998	Goforth	D5/32					
D425,709	S *	5/2000	Mathews et al.	D5/66					
D428,500	S *	7/2000	Wederski	D25/150					
D435,122	S *	12/2000	Ross et al.	D25/156					
D441,466	S *	5/2001	Boone	D25/163					

## OTHER PUBLICATIONS

3FORM, Product Catalog, 2008, pp., 1, 38, 39, and 59.  
Lumicor, Sunstone Recycled Glass Panel Sample, 2008.  
Lumicor, Crystal Recycled Glass Panel Sample, 2008.


\* cited by examiner





**FIG. 1**





**FIG. 2**






**FIG. 6**



**FIG. 4**



**FIG. 3**



**FIG. 5**



**FIG. 7**