



US00D610508S

(12) **United States Design Patent**  
**Liu et al.**

(10) **Patent No.:** **US D610,508 S**

(45) **Date of Patent:** **\*\* Feb. 23, 2010**

(54) **BRAKE FRICTION PAD**

(75) Inventors: **Weiming Liu**, Windsor (CA); **Rodney J. Silvey**, Cookeville, TN (US); **Jason Heath Mahan**, Lafayette, TN (US)

(73) Assignee: **Federal-Mogul WorldWide, Inc.**, Southfield, MI (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/341,142**

(22) Filed: **Jul. 31, 2009**

**Related U.S. Application Data**

(62) Division of application No. 29/336,246, filed on Apr. 30, 2009, which is a division of application No. 29/332,370, filed on Feb. 13, 2009, now Pat. No. Des. 597,907, which is a division of application No. 29/282,904, filed on Aug. 1, 2007, now Pat. No. Des. 596,544.

(51) **LOC (9) Cl.** ..... **12-16**

(52) **U.S. Cl.** ..... **D12/180**

(58) **Field of Classification Search** ..... D12/180, D12/174, 400; D15/138-140; 72/339; 188/73.31-73.39, 188/73.43, 73.45, 218 XL, 73.1, 250 B, 250 E, 188/250 R, 251 R; 192/107 M, 107 R; 428/443; 488/1.11 W, 1.11 R

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,799,754 A \* 9/1998 Kazuro et al. .... 188/1.11 W

7,222,702 B2 *	5/2007	Kimura	.....	188/322.17
D588,968 S *	3/2009	Liu et al.	.....	D12/180
D588,970 S *	3/2009	Liu et al.	.....	D12/180
D588,973 S *	3/2009	Liu et al.	.....	D12/180
D589,419 S *	3/2009	Liu et al.	.....	D12/180
D597,900 S *	8/2009	Liu et al.	.....	D12/180
D597,903 S *	8/2009	Liu et al.	.....	D12/180
D597,904 S *	8/2009	Liu et al.	.....	D12/180
D597,906 S *	8/2009	Liu et al.	.....	D12/180
2005/0023091 A1 *	2/2005	Ol et al.	.....	188/250 R
2008/0011562 A1 *	1/2008	Hilbrandt	.....	188/250 B

\* cited by examiner

*Primary Examiner*—Robert M Spear

*Assistant Examiner*—Cynthia Underwood

(74) *Attorney, Agent, or Firm*—Robert L. Stearns; Dickinson Wright PLLC

(57) **CLAIM**

The ornamental design for a brake friction pad, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a brake friction pad;


FIG. 2 is a front view thereof;

FIG. 3 is a top view thereof;

FIG. 4 is a bottom view thereof; and,

FIG. 5 is a right side elevational view thereof, the left side elevational view being a mirror image of the right side elevational view.

**1 Claim, 2 Drawing Sheets**






Fig. 1




Fig. 2



Fig. 3




Fig. 4



Fig. 5