



US00D610613S

(12) **United States Design Patent**  
**Nabetani et al.**

(10) **Patent No.:** **US D610,613 S**  
(45) **Date of Patent:** **\*\* \*Feb. 23, 2010**

(54) **PUNCHED HOLE REINFORCING PIECE**

2009/0025866 A1\* 1/2009 Kasahara et al. .... 156/234

(75) Inventors: **Hitomi Nabetani**, Osaka (JP); **Akinori Okitsu**, Osaka (JP)

FOREIGN PATENT DOCUMENTS

JP 09-313413 5/1999

(73) Assignee: **Kokuyo Co., Ltd.**, Osaka (JP)

\* cited by examiner

(\*\*) Term: **14 Years**

*Primary Examiner*—Cathron C Brooks

*Assistant Examiner*—Austin Murphy

(21) Appl. No.: **29/330,094**

(74) *Attorney, Agent, or Firm*—Dennis R. Haszko; Eaton Peabody Patent Group, LLC

(22) Filed: **Dec. 29, 2008**

(57) **CLAIM**

(30) **Foreign Application Priority Data**

The ornamental design for a punched hole reinforcing piece, as shown and described.

Jun. 30, 2008 (JP) ..... 2008-016877

(51) **LOC (9) Cl.** ..... **19-04**

**DESCRIPTION**

(52) **U.S. Cl.** ..... **D19/32**

FIG. 1 is a front view of the punched hole reinforcing piece showing the design;

(58) **Field of Classification Search** ..... D19/49,  
D19/50, 51, 72, 73; 83/684, 669, 620, 627,  
83/618, 588, 563, 549, 522.19, 468, 449,  
83/467.1, 277; 412/42; 30/364, 363, 358,  
30/233; 384/99; 473/383; 604/338

FIG. 2 is a rear view thereof;

FIG. 3 is a top view thereof;

FIG. 4 is a bottom view thereof;

See application file for complete search history.

FIG. 5 is a right side view thereof;

FIG. 6 is a left side view thereof;

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 2,927,495 A \* 3/1960 Barwood ..... 411/371.1
- 3,612,053 A \* 10/1971 Pratt ..... 604/338
- 3,792,523 A \* 2/1974 Grunberger ..... 29/557
- 7,422,529 B2 \* 9/2008 Aoyama et al. .... 473/383
- 2005/0219845 A1 \* 10/2005 Cutler et al. .... 362/261
- 2007/0031073 A1 \* 2/2007 Kato et al. .... 384/99
- 2007/0144924 A1 \* 6/2007 Yamashita ..... 206/338
- 2007/0213140 A1 \* 9/2007 Miller ..... 473/249
- 2008/0012095 A1 \* 1/2008 Lee et al. .... 257/618
- 2008/0028497 A1 \* 2/2008 Hayes ..... 2/171


FIG. 7 is a cross-sectional view thereof along line A—A of FIG. 1;


FIG. 8 is a cross-sectional view thereof along line B—B of FIG. 1; and,

FIG. 9 is a perspective view thereof in use together with a sticking device and a sheet.


The broken lines shown in the drawings represent unclaimed portions of the punched hole reinforcing piece and form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**





**FIG. 1**



**FIG. 2**



**FIG. 3**



**FIG. 4**



**FIG. 5**



**FIG. 6**



A-A  
**FIG. 7**



B-B  
**FIG. 8**






FIG. 9