



US00D610667S

(12) **United States Design Patent**  
**Espiritu, Jr.**

(10) **Patent No.:** **US D610,667 S**

(45) **Date of Patent:** **\*\* Feb. 23, 2010**

(54) **APPLE SHAPED ETHYLENE ABSORBING DEVICE**

(75) **Inventor:** **Theodore R. Espiritu, Jr.**, Salt Lake City, UT (US)

(73) **Assignee:** **Aureus Product Innovations, Inc.**, Salt Lake City, UT (US)

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/342,025**

(22) **Filed:** **Aug. 17, 2009**

(51) **LOC (9) Cl.** ..... **28-99**

(52) **U.S. Cl.** ..... **D23/367**

(58) **Field of Classification Search** ..... D23/355-369;  
D28/5, 6; 261/DIG. 17, DIG. 42, DIG. 65,  
261/DIG. 88, DIG. 89; 392/386, 390, 391,  
392/392, 394, 395; 239/34, 35, 43-45, 53,  
239/56, 57, 60, 326

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,283,011	A *	8/1981	Spector	.....	239/36
D356,371	S	3/1995	El-Assir		
D412,426	S	8/1999	Prissberg		
D431,097	S	9/2000	Tamez		
D442,834	S	5/2001	Perez		
D467,501	S	12/2002	Tacchella		
D478,785	S	8/2003	Rorke et al.		
D478,973	S *	8/2003	Wagner	.....	D23/367
D484,229	S *	12/2003	Upton	.....	D23/366
D484,585	S *	12/2003	Upton	.....	D23/366
D510,991	S *	10/2005	Harbutt et al.	.....	D23/366
D514,212	S *	1/2006	Harbutt et al.	.....	D23/366
D514,213	S *	1/2006	Harbutt et al.	.....	D23/366
D520,624	S *	5/2006	Blymyer	.....	D23/368
D535,002	S *	1/2007	Caserta et al.	.....	D23/366

D536,081	S *	1/2007	Steinel	.....	D23/366
D550,829	S *	9/2007	Buthier et al.	.....	D23/367
D582,158	S	12/2008	Nathanson		
D584,391	S *	1/2009	Howlett et al.	.....	D23/366
D585,537	S *	1/2009	Weggelaar	.....	D23/366

\* cited by examiner

*Primary Examiner*—Sandra Snapp

(74) *Attorney, Agent, or Firm*—Geoffrey E. Dobbin

(57) **CLAIM**

The ornamental design for an apple shaped ethylene absorbing device, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of the apple shaped ethylene absorbing device.

FIG. 2 is a bottom perspective view of the apple shaped ethylene absorbing device.

FIG. 3 is a top plan view of the apple shaped ethylene absorbing device.

FIG. 4 is a bottom plan view of the apple shaped ethylene absorbing device.

FIG. 5 is a right side elevation view of the apple shaped ethylene absorbing device, the left side elevation view being a mirror image thereof.

FIG. 6 is a rear elevation of the apple shaped ethylene absorbing device.


FIG. 7 is a front elevation of the apple shaped ethylene absorbing device; and,

FIG. 8 is a sectional view taken along line 8—8 in FIG. 7.

The left side elevation is a mirror image of the view depicted in FIG. 4.

The broken lines of FIG. 8 depict internal structure, showing environment, and do not form a part of the claimed design.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

