



US00D610724S

(12) **United States Design Patent**
Chiang et al.

(10) **Patent No.:** **US D610,724 S**

(45) **Date of Patent:** **** Feb. 23, 2010**

(54) **LIGHT EMITTING DIODE BULB**

D584,429 S * 1/2009 Pei et al. D26/3

D594,999 S * 6/2009 Uchida et al. D26/3

D601,726 S * 10/2009 Mollaert et al. D26/3

(75) Inventors: **Kuo-Feng Chiang**, Miao-Li Hsien (TW); **Zheng-Jay Huang**, Miao-Li Hsien (TW); **Sung-Hsiang Yang**, Miao-Li Hsien (TW); **Shan-Ju Lin**, Miao-Li Hsien (TW)

* cited by examiner

(73) Assignee: **Foxsemicon Integrated Technology, Inc.**, Chu-Nan, Miao-Li Hsien (TW)

Primary Examiner—Marcus A Jackson

(74) *Attorney, Agent, or Firm*—Raymond J. Chew

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/342,734**

The ornamental design for a light emitting diode bulb, as shown.

(22) Filed: **Aug. 31, 2009**

(30) **Foreign Application Priority Data**

DESCRIPTION

Jun. 2, 2009 (CN) 2009 3 0305222

(51) **LOC (9) Cl.** **26-04**

(52) **U.S. Cl.** **D26/3**

(58) **Field of Classification Search** D26/1-4;
313/313, 315, 316, 317, 318, 493; 315/52,
315/53, 56, 57, 58

See application file for complete search history.

FIG. 1 is a perspective view of a light emitting diode bulb showing our new design.

FIG. 2 is a front elevational view thereof.

FIG. 3 is a rear elevational view thereof.

FIG. 4 is a left-side, elevational view thereof.

FIG. 5 is a right-side, elevational view thereof.

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.


(56) **References Cited**

U.S. PATENT DOCUMENTS

D477,093 S * 7/2003 Moriyama et al. D26/3

D506,274 S * 6/2005 Moriyama et al. D26/3

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7