



US00D610737S

(12) **United States Design Patent**
Chandler

(10) **Patent No.:** **US D610,737 S**
(45) **Date of Patent:** **** Feb. 23, 2010**

(54) **LAMP**

(75) Inventor: **George Chandler**, Hubbardton, VT (US)

(73) Assignee: **Hubbardton Forge, LLC**, Castleton, VT (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/342,009**

(22) Filed: **Aug. 17, 2009**

(51) **LOC (9) Cl.** **26-03**

(52) **U.S. Cl.** **D26/81; D26/144**

(58) **Field of Classification Search** D26/72,
D26/81-84, 88-91, 143, 144; 362/147, 404-408,
362/432

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | | |
|--------------|----|---|--------|---------------|-------|---------|
| D390,683 | S | * | 2/1998 | Hsu | | D26/81 |
| D459,015 | S | * | 6/2002 | Dolan | | D26/86 |
| D517,723 | S | * | 3/2006 | Chen | | D26/81 |
| D519,666 | S | * | 4/2006 | Leser | | D26/81 |
| D534,675 | S | * | 1/2007 | Chen | | D26/81 |
| D550,886 | S | * | 9/2007 | Nicholas | | D26/81 |
| D550,888 | S | * | 9/2007 | Miranda | | D26/81 |
| D570,519 | S | * | 6/2008 | Milicia | | D26/81 |
| D576,335 | S | * | 9/2008 | Chandler | | D26/81 |
| D588,293 | S | * | 3/2009 | Walsh | | D26/81 |
| 2006/0146548 | A1 | * | 7/2006 | Pazula et al. | | 362/405 |

OTHER PUBLICATIONS

“Serenity” chandelier model #6442-9H shown as Item A. on p. 120 of the AF Lighting catalog © 2007; and Back cover of AF Lighting catalog #AFLMC0107 (2 sheets).*

“Simplicity” chandelier model #6272-6H shown on p. 156 of the AF Lighting catalog. © 2007(1 sheet).*

“Vin” chandelier model #E20330-47 shown on p. 127 of the ET2 2007 Catalog. © 2006; and front cover of the ET2 Lighting 2007 Catalog. (2 sheets).*

* cited by examiner

Primary Examiner—Clare E Heflin

(74) *Attorney, Agent, or Firm*—Bourque and Associates, PA

(57) **CLAIM**

The ornamental design for a lamp, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the lamp according to a first embodiment of the present invention;

FIG. 2 is a right side view thereof;

FIG. 3 is a left side view thereof;

FIG. 4 is a front view thereof;

FIG. 5 is a rear view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof;

FIG. 8 is a perspective view of the lamp according to a second embodiment of the present invention;

FIG. 9 is a left side view thereof;

FIG. 10 is a right side view thereof;

FIG. 11 is a front view thereof;

FIG. 12 is a rear view thereof;

FIG. 13 is a top view thereof;

FIG. 14 is a bottom view thereof;

FIG. 15 is a perspective view of the lamp according to a third embodiment of the present invention;

FIG. 16 is a right side view thereof;

FIG. 17 is a left side view thereof;

FIG. 18 is a front view thereof;



FIG. 19 is a rear view thereof;

FIG. 20 is a top view thereof; and,

FIG. 21 is a bottom view thereof.

The broken lines shown are for illustrative purposes only and form no part of the claimed design.

1 Claim, 21 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21